SAFETY DATA SHEET

1. Identification

Product Identifier Brite Bowl

Other means of identification

Product code 18111

Recommended use Acid bowl cleaner
Recommended restrictions Professional use only.
Manufacturer/distributor/supplier/importer information

Company name Faultless Brands
Address 1025 W 8th St.

Kansas City, MO 64101

Telephone 1-(800)-821-5565

1 (000) 021 3303

Emergency phone number PERS (800) 633-8253

24-hour Emergency (800) 633-8253

2. Hazard(s) Identification

Physical hazards Not classified.

Health hazards Serious eye damage. Category 1

Skin corrosion. Category 1
Acute toxicity, oral. Category 4

Environmental hazards Not classified

OSHA defined hazards None

Label elements



Signal word DANGER

Hazard statement May be harmful if swallowed.

Causes severe skin burns and eye damage.

Precautionary statement

Prevention Do not breathe dusts or mists. Wash skin thoroughly after handling. Wear protective

gloves/protective clothing/eye protection/face protection.

Response IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable breathing. Immediately

call a POISON CENTER/doctor/medical professional. Specific treatment (see

supplemental information on this label).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if

present and easy to do. Continue rinsing.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazard(s) not otherwise

None.

classified (HNOC)

Supplemental information

None.

3. Composition/information on ingredients

Mixture Component(s)				
Chemical name	CAS number	Purpose	%	
Water	7732-18-5	Solvent	85-95%	
Hydrochloric Acid	7647-01-0	pH Adjuster	5-10%	
PEG-2 Tallow Amine	61791-26-2	Surfactant	1-5%	
Nonylphenol	127087-87-0	Surfactant	<1%	
Alkyl C12-18 Dimethylbenzyl				
Ammonium Chloride	68391-01-5	Surfactant	<1%	
Alkyl C12-14				
Dimethylethylbenzyl				
ammonium Chloride	85409-23-0	Surfactant	<1%	
Methyl Salicylate	119-36-8	Fragrance Component	<0.1%	
Ethanol	64-17-5	Solvent	<0.1%	
Glycol Ethers	Proprietary	Solvent	<0.1%	
Dye	Proprietary	Colorant	<0.1%	
Amines, C12-18 Alkyldimethyl	68391-04-8	Surfactant	<0.1%	

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do

so. Immediately call a physician or transport to hospital.

Ingestion Rinse mouth. Get medical attention immediately. Do not induce vomiting.

Most important

symptoms/effects, acute and

delayed

Can cause serious eye damage. Can cause burning sensation in affected areas. Shortness of breath, respiratory tract irritation or damage. Hydrochloric acid is extremely destructive to

tissues of the mucous membranes and upper respiratory tract, eyes, and skin.

Indication of immediate medical attention and

special treatment needed

Provide general support measures and treat symptomatically. Keep victim under

observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved and take precautions

to protect themselves. Wash contaminated clothing before reuse. Use with extreme

caution.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂)

Unsuitable extinguishing

Do not use water jet as an extinguisher, as this will spread the fire.

media

Specific hazards arising from

During fire, gases hazardous to health may be formed (hydrogen chloride gas).

the chemical

Special protective equipment Self-contained breathing apparatus and full protecting clothing must be worn in case of and precautions for

firefighters

fire.

Fire-fighting

Move containers from fire area if you can do so without risk.

equipment/instructions

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This product is fully miscible in water.

Large spills: Stop the flow of material if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements, or confined areas. Following product recovery, flush area with water.

Small spills: Wipe up with absorbent material (e.g., cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the

Environmental precautions

Avoid discharge into surface drainage paths or other areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling

Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

2 ppm

Conditions for safe storage, including any

incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Hydrochloric acid

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value
Hydrochloric acid	PEL	5 ppm
US ACGIH Threshold Limit Values		
Components	Туре	Value

STEL

Biological limit values No information.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level. It is recommended that users of this product perform a risk assessment to determine the appropriate personal protective equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection The use of gloves impervious to the specific material handled is advised to prevent skin

> contact. Users should check with manufacturers to confirm the breakthrough performance of their products. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Suggested protective materials: Nitrile and PVC rubber.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is

recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Viscous liquid **Physical State**

Color Blue

Odor Mint/herbal Odor threshold Not available.

рΗ 0-1

Melting/freezing point 14°F (-10°C) estimated.

Initial boiling point and

>212°F (>100°C)

boiling range

Flash point Not applicable. **Evaporation rate** Not available. Not available. **Flammability**

Flammability Limits

Not available. Upper Not available. Lower

<0.01 mmHg at 77°F (25°C). Vapor pressure

Vapor density Not available.

Specific gravity (water=1) 1.03
Solubility in water Soluble.

Partition coefficient Not applicable

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

10. Stability and reactivity

ReactivityThis product is stable and non-reactive under normal conditions of use. **Chemical stability**Material is stable under normal conditions. Store in a cool dark place.

Possibility of hazardous

reactions

Hazardous polymerization does not occur

Conditions to avoid Avoid storage in elevated temperatures.

Incompatible materialsStrong bases, amines, metals, DO NOT MIX WITH BLEACH PRODUCTSHazardous decompositionNo hazardous decomposition products occur. In case of fire see section 5.

products

11. Toxicological information

Information on likely routes

of exposure

Ingestion Do not ingest. May be harmful if swallowed.

Inhalation Do not inhale. May cause damage to the upper respiratory tract.

Skin contact Can cause severe skin burns.

Eye contact Can cause serious eye damage.

Symptoms related to the physical, chemical, and toxicological characteristics

Burning sensation, coughing, wheezing, shortness of breath. Hydrochloric acid is extremely destructive to mucous membranes and upper respiratory tract, eyes, and skin. Redness,

swelling and excessive tearing of the eyes

Acute toxicity May be harmful if swallowed.

Product Brite Bowl (CAS mixture)				
Exposure Classification	Route and Species	LD ₅₀		
Acute	Oral, rat	>3,410 mg/kg (estimated)		
Acute	Dermal, rabbit	>18,200 mg/kg (estimated)		
*Estimates for product may be based on additional component data not shown				

Skin corrosion/irritationCan cause severe skin burns.Serious eye damage/ irritationCan cause serious eye damage.

Respiratory sensitizationNot considered a respiratory sensitizer.

Skin sensitization Not considered a skin sensitizer.

Germ cell mutagenicity

No data available to indicate product or any

components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not considered a carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Reproductive toxicity No data available.

Specific target organ toxicity – single exposureMay cause damage to the upper respiratory tract with

prolonged inhalation. No data available.

Not Listed.

Specific target organ toxicity – repeated exposure

Aspiration hazard No data available.

12. Ecological information

Ecotoxicity				
Product Brite Bowl (CAS mixture)				
Aquatic Receptor	Species	LC ₅₀		
Fish	Fathead Minnow (Pimephales promelas)	LC ₅₀ (96-hr) >210 mg/L (estimated)		
*Estimates for product may be based on additional component data not shown				

Persistence and

No data available. Not expected to persist in an open environment

degradability

Bio-accumulative potential Not data available This product will not bio-accumulate in dynamic systems

Partition coefficient n-octanol/water (log Kow) Not applicable

Mobility in soil No data available. Listed components are inorganic and highly water-soluble. In aqueous

medium, the listed chemical(s) will readily dissociate into ionic molecules that will be weakly adsorbed onto organic matter particles. These components are expected to exhibit

moderate to high mobility in saturated and semi-saturated soils.

Other adverse effects May be harmful to plants or wildlife in high concentrations. No other adverse

environmental effects known (i.e., ozone depleting substance, tropospheric ozone precursor, greenhouse gas emission, endocrine disruptor, or other deleterious

environmental effect)

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose

of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations

Hazardous waste code As packaged, this product may meet criteria defining RCRA corrosive (D002) hazardous

wastes when disposed. (40 CFR Part 261, Subpart C). Before selecting disposal method, ensure that the waste materials have been accurately assessed and, as necessary, tested to

confirm regulatory status.

The waste code should be assigned in discussion between the user, the producer, and the

waste disposal company.

Waste from residues/unused

product

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

(See: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal. Since emptied containers may contain product residue, follow label warnings

even after container is emptied.

14. Transport information

USDOT

UN number UN3264

UN proper shipping name Corrosive liquids, acidic, inorganic n.o.s. (Contains: hydrochloric acid)

Transport hazard class(es)

Class 8
Subsidiary risk Packaging group III
Marine pollutant No

Special precautions for user Read safety instructions, SDS, and emergency procedures before handling.

Transport in bulk according to Not intended to be transported in bulk.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

DOT Label/Placard



15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance Not listed.

SARA 304 Emergency release notification Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 313 (TRI reporting) Not listed.

California Proposition 65 California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to

threshold determination and Safe Harbor notification (3/2020)

16. Other information, including date of preparation or last revision

Issue date 10/13/2014

Revision date 6/23/2021

Version #

HMIS® ratings Health: 2

Flammability: 0 Physical hazard: 0

2



Acid

NFPA ratings Health: 2

Flammability: 0 Instability: 0



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

Revision information

General format update; Toxicity classification 5-4.; Disposal guidance update; General use instructions. Refine composition table, amend physical data; Update toxicology thresholds and environmental fate information; Text clarification amendments Sections 5,6,8,9 and 12. PPE recommendation updated; California Proposition 65 notice; HMIS and NFPA pictograms added.