SAFETY DATA SHEET

1. Identification

Product Identifier Heavy Duty Degreaser

Other means of identification

Product code 18108: ICP #8

Recommended use Heavy duty degreaser. **Recommended restrictions** Professional use only. Manufacturer/distributor/supplier/importer information

Company name **Faultless Brands** 1025 W 8th St. **Address**

Kansas City, MO 64101

Telephone 1-(800)-821-5565

Emergency phone number PERS

(800) 633-8253 (800) 633-8253 24-hour Emergency

2. Hazard(s) Identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Serious eye damage Category 1 Skin irritant Category 2

Not classified. **Environmental hazards** Not listed. **OSHA** defined hazards

Label elements





Signal word **DANGER**

Hazard statement May be harmful if swallowed.

Causes serious eye damage. Causes skin irritation.

Precautionary statement

Prevention Wear eye protection/face protection. Wash hands and exposed skin thoroughly after

handling. Wear protective gloves.

Response Call a POISON CENTER/doctor/medical professional if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/doctor/medical professional.

IF ON SKIN: Wash with plenty of water for at least 15 minutes. Specific treatment (see section 4 on the Safety Data Sheet). If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Storage No prescriptive instruction Disposal No prescriptive instruction

Hazard(s) not otherwise

None

classified (HNOC)

Supplemental information None

3. Composition/information on ingredients

| Mixtures | | | |
|---------------------------|-------------|------------------|--------|
| Chemical name | CAS number | Purpose | % |
| Water | 7732-18-5 | Solvent | 75-85% |
| 2-Butoxyethanol | 111-76-2 | Solvent | 10-15% |
| Nonylphenol | 127087-87-0 | Surfactant | 1-5% |
| Tetrasodium EDTA | 64-02-8 | Chelating Agent | 1-5% |
| Sodium Tripolyphosphate | 7758-29-4 | pH Adjuster | 0-5% |
| Potassium Hydroxide | 1310-58-3 | pH Adjuster | <1% |
| Sodium Xylene Sulfonate | 1300-72-7 | Coupling Agent | <1% |
| Sodium Glycolate | 2836-32-0 | Buffering Agent | <1% |
| Trisodium NTA | 5064-31-3 | Processing Aid | <1% |
| Sodium Hydroxide | 1310-73-2 | pH Adjuster | <1% |
| Glycol Ethers | Proprietary | Solvent | <1% |
| Tetrasodium Pyrophosphate | 231-767-1 | Chelating Agent | <0.1% |
| Sodium Sulfate | 7757-82-6 | Thickening Agent | <0.1% |
| Sodium Trimetaphosphate | 7785-84-4 | Solvent | <0.1% |
| Dye | Proprietary | Colorant | <0.1% |

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do.

Get medical attention. Eye wash stations should be in work area.

Ingestion Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting. If vomiting

occurs lower the head to prevent stomach contents entering the lungs

Most important

symptoms/effects, acute and

delayed

Dermatitis. Rash. May cause an allergic skin reaction.

Indication of immediate medical attention and special

treatment needed

Provide general support measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved and take precautions to

protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂)

Unsuitable extinguishing

media

None known

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for

Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.

firefighters

Fire-fighting

Move containers from fire area if you can do so without risk.

equipment/instructions

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures Wear appropriate protective equipment and clothing during clean-up. Wear eye/face protection.

Methods and materials for containment and cleaning up

Caution – spillages may be slippery

Large spills: Stop the flow of material if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements, or confined areas.

Small spills: Wipe up with absorbent material (e.g., cloth, absorbent wipes). Clean surface thoroughly with water to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the

SDS

Environmental precautions Do not release into the environment (see section 12). Avoid discharge into surface drainage

paths and other areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate

personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage,

including any incompatibilities

Store in original tightly closed container. Do not store in extreme conditions.

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Туре | Value |
|---------------------|------|---------------------|
| 2-butoxyethanol | PEL | 50 ppm |
| Potassium hydroxide | PEL | 2 mg/m ³ |

US ACGIH Threshold Limit Values

| Components | Туре | Value |
|---------------------|------|---------------------|
| 2-butoxyethanol | STEL | 20 ppm |
| Potassium hydroxide | STEL | 2 mg/m ³ |

Biological limit values

ACGIH Biological Exposure Indices

| Components | Value | Determinant | Species | Sampling Time |
|-----------------|----------|-------------|---------|---------------|
| 2-butoxyethanol | 200 mg/g | Creatinine | Urine | End of shift. |

Appropriate engineering controls

Emergency eye wash stations and showers should be readily accessible. Provide natural or mechanical ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection The use of gloves impervious to the specific material handled is advised to prevent skin

contact. Users should check with manufacturers to confirm the breakthrough performance of their products. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several

substances, the protection time of the gloves cannot be accurately estimated. Suggested

protective materials: Nitrile and PVC rubber.

Other Depending on exposure and use conditions, additional protection may be necessary to

prevent skin contact including use of items such as chemical-resistant boots, aprons, arm

covers, hoods and/or coveralls.

Respiratory protection Respiratory protection not required for prescribed use of this product.

Thermal hazards Not assigned in prescribed use.

General hygiene When using do not smoke or u

When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

considerations

Physical State
Color
Dark blue
Odor
Sweet
Odor threshold
PH
12 - 12.5

Melting/freezing point Initial boiling point and

boiling range

Not available >212°F (100°C)

Flash point >212°F (100°C)
Evaporation rate Not available
Flammability Not available

Flammability Limits

Upper Not available
Lower Not available
Vapor pressure Not available
Vapor density Not available

Specific gravity (water=1) 1.01
Solubility in water Soluble
Partition coefficient Not available

(n-octanol/water)

Auto-ignition temperature Not available

Decomposition temperature Decomposes on heating.

Viscosity Not available.

10. Stability and reactivity

Reactivity This product is stable and non-reactive under normal conditions of use.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoidHeat, flames can cause product to decompose.Incompatible materialsStrong acids, strong bases, strong oxidizing agents.

Hazardous decomposition Ale

products

Aldehydes, ketones, organic acids, carbon dioxide, carbon monoxide.

11. Toxicological information

Information on likely routes

of exposure

Ingestion Corrosive to mucous membranes, will damage tissue if there is prolonged contact.

Inhalation Expected to be a low inhalation hazard.

Skin contact Repeated and/or prolonged skin contact may cause irritation and/or burns. .

Eye contact Causes severe eye damage. May cause severe corneal injury.

Symptoms related to the physical, chemical, and toxicological characteristics

Dermatitis. Rash. May cause an allergic skin reaction.

Acute toxicity May be harmful if swallowed.

| Product Heavy Duty Degreaser (CAS mixture) | | |
|--|-------------------|---------------------------|
| Exposure Classification | Route and Species | LD50 /LC50 |
| Acute | Oral, rat | >4,600 mg/kg (estimated) |
| Acute | Dermal, rabbit | >5,200 mg/kg (literature) |
| *Estimates for product may be based on additional component data not shown | | |

Skin corrosion/irritationCauses skin irritation.Serious eye damage/ irritationCauses serious eye damage.

Respiratory sensitizationNot classified.Skin sensitizationNot classified.Germ cell mutagenicityNot classified.

Carcinogenicity Not considered a carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not Listed

Reproductive toxicity

Specific target organ toxicity – single exposure

Specific target organ toxicity – repeated exposure

Not classified.

Not classified.

Aspiration hazard Not considered an aspiration hazard.

12. Ecological information

| Ecotoxicity | | | |
|--|--------------------------------------|---|--|
| Product Heavy Duty Degreaser (CAS mixture) | | | |
| Aquatic Receptor | Species | Test Thresholds | |
| Fish | Fathead minnow (Pimephales promelas) | LC ₅₀ (96-hr): >300 mg/L (estimated) | |
| Crustacea | Daphnia (water flea) | EC ₅₀ (48-hr): >92 mg/L (estimated) | |
| *Estimates for product may be based on additional component data not shown | | | |

Persistence and degradability Nonylphenol ethoxylate: not considered readily biodegradable but does not mean this

material is not biodegradable under certain environmental conditions.

Bioaccumulative potential No data available.

Mobility in soil Not available. Chemicals of these classes are highly water soluble and will partition readily to

water and weakly to particles in low-clay soil matrices. They are expected to exhibit moderate

to high mobility in saturated and semi-saturated soils

Other adverse effects The pH of this product may cause it to be toxic to aquatic and terrestrial organisms.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations. Do

not release to the open environment.

Local disposal regulations Dispose in accordance with all applicable regulations. As packaged, this product may meet

criteria defining RCRA corrosive (D002) hazardous wastes when disposed. (40 CFR Part 261, Subpart C). Before selecting disposal method, ensure that the waste materials have been

accurately assessed and, as necessary, tested to confirm regulatory status.

Waste from residues/unused

product

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (See:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal. Since emptied containers may contain product residue, follow label warnings even

after container is emptied.

14. Transport information

USDOT Not regulated as dangerous goods

15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance Not listed.
SARA 304 Emergency release notification Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes
Delayed Hazard – No
Fire Hazard – No
Pressure Hazard – No
Reactivity Hazard – No

SARA 313 (TRI reporting) 2-butoxyethanol (Glycol Ether Category)

California Proposition 65 California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to

SDS US

threshold determination and Safe Harbor notification (3/2021)

16. Other information, including date of preparation or last revision

 Issue date
 1/14/2015

 Revision date
 6/23/2021

Version # 2

HMIS® ratings Health: 2

Flammability: 0 Physical hazard: 0



NFPA ratings Health: 2

Flammability: 0 Instability: 0



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

Revision information

General format update; Refine composition table, amend physical data; Update toxicology thresholds and environmental fate information; Text clarification amendments Sections 5,6,8,9 and 12. PPE recommendation updated; California Proposition 65 notice; HMIS and NFPA pictograms added.