Version: 1.0

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 03/02/2022 Date of Issue: 03/02/2022

SECTION 1: IDENTIFICATION

1.1. **Product Identifier**

Product Form: Mixture

Product Name: #4 Orange Vanilla Wax-based Products (Poured Candles, Votives, and Melts) Product Code: 60104, 60204, 60704, 60904, 61104, 61304, 61804, 61904, 70104, 70304, 70904, 71104, 71304, 71904 *This document is intended to be used for safety in the workplace only, and is not a consumer document.

1.2. Intended Use of the Product

Home fragrance

1.3. Name, Address, and Telephone of the Responsible Party

Company **Trapp Fragrances** 1025 W. 8th St. Kansas City, Missouri 64101 T: 1-800-670-4212

www.trappfragrances.com **Emergency Telephone Number** 1.4.

Emergency Number : 1-800-424-9300 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture 2.1.

GHS-US Classification		
Skin Sens. 1	H317	
Aquatic Acute 2	H401	
Aquatic Chronic 2	H411	
Full text of hazard class	ses and H-stateme	ents : see section 16
2.2. Label Elemer	nts	
GHS-US Labeling		
Hazard Pictograms (Gł	1 S-US)	
Signal Word (GHS-US)		: Warning
Hazard Statements (G	HS-US)	: H317 - May cause an allergic skin reaction.
		H401 - Toxic to aquatic life.
		H411 - Toxic to aquatic life with long lasting effects.
Precautionary Stateme	ents (GHS-US)	: P261 - Avoid breathing vapors, mist, or spray.
		P272 - Contaminated work clothing should not be allowed out of the workplace.
		P273 - Avoid release to the environment.
		P280 - Wear protective gloves, protective clothing, and eye protection.
		P302+P352 - IF ON SKIN: Wash with plenty of water.
		P321 - Specific treatment (see section 4 on this SDS).
		P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
		P362+P364 - Take off contaminated clothing and wash it before reuse.
		P391 - Collect spillage.
		P501 - Dispose of contents/container in accordance with local, regional, national, and
		international regulations.
2.2 Other Heren		

2.3. **Other Hazards**

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Unknown Acute Toxicity (GHS-US) 2.4.

No data available

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	%
D-Limonene	(CAS No) 5989-27-5	7.2992
Diethyl phthalate	(CAS No) 84-66-2	2.744
Coumarin	(CAS No) 91-64-5	0.312
Citral	(CAS No) 5392-40-5	0.1408
	(CAS NO) 5392-40-5	0.1408

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists. In molten form: Cool skin rapidly with cold water after contact with molten product. Removal of solidified molten material from skin requires medical assistance.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention. In molten form: Removal of solidified molten material from the eyes requires medical assistance. **Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

General: Skin sensitization.

Inhalation: Prolonged exposure may cause irritation.

Skin Contact: May cause an allergic skin reaction. Contact with hot wax may cause thermal burns.

Eye Contact: May cause slight irritation to eyes. Contact with hot wax may cause thermal burns.

Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None known.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, alcohol-resistant foam, carbon dioxide (CO₂), dry chemical powder.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire. Do not use water when molten material is involved, contact of hot product with water will result in a violent expansion as the water turns to steam causing explosion with massive force.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but will burn at high temperatures.

Explosion Hazard: Product itself is not explosive but if dust is generated, dust clouds suspended in air can be explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Remove containers from fire area if this can be done without risk. Avoid raising dust. Do not breathe fumes from fires or vapors from decomposition. Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Thermal decomposition generates: Carbon oxides (CO, CO₂). Nitrogen oxides. Ketones. Aldehydes. Phenol. Phenolic compounds. Organic compounds. Irritating fumes.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses. Do not add water to molten material as this may cause spattering.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations.

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe dust.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams. Where possible allow molten material to solidify naturally.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Cool molten material to limit spreading. Recover the product by vacuuming, shoveling or sweeping. Transfer spilled material to a suitable container for disposal. Avoid generation of dust during clean-up of spills. For particulates and dust: Use only non-sparking tools. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: Risk of thermal burns on contact with molten product. Contains substances that are combustible dusts. If dried and allowed to accumulate, may form combustible dust concentrations in air that could ignite and cause an explosion. Take appropriate precautions.

Precautions for Safe Handling: Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not breathe dust. Avoid contact with skin, eyes and clothing. Use appropriate personal protective equipment (PPE). Avoid creating or spreading dust.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash contaminated clothing before reuse.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool and well-ventilated place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers. Polymerization catalysts. Materials reactive with hydroxyl compounds. Alkalis. Metal hydrides. Permanganates. When molten: water.

7.3. Specific End Use(s)

Home fragrance

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

D-Limonene (5989-27-5)		
USA AIHA	WEEL TWA (ppm)	30 ppm
Diethyl phthalate (84-66-2)		
USA ACGIH	ACGIH TWA (mg/m ³)	5 mg/m ³
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations.

USA NIOSH	NIOSH REL (TWA) (mg/m ³)	5 mg/m ³
Citral (5392-40-5)		
USA ACGIH	ACGIH TWA (ppm)	5 ppm (inhalable fraction and vapor)
USA ACGIH	ACGIH chemical category	dermal sensitizer,Skin - potential significant contribution to overall exposure by the cutaneous route, Not Classifiable as a Human Carcinogen

8.2. Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Avoid creating or spreading dust.

Personal Protective Equipment: Gloves. Protective clothing. Protective goggles.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear protective gloves.

Eye Protection: Chemical safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Thermal Hazard Protection: When working with hot material, use suitable thermally protective clothing.

Environmental Exposure Controls: Avoid release to the environment.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties		
Physical State	:	Solid
Appearance		Not available
Odor	:	Not available
Odor Threshold		Not available
рН	:	Not available
Evaporation Rate		Not available
Melting Point		Not available
Freezing Point	:	Not available
Boiling Point	:	Not available
Flash Point	:	Not available
Auto-ignition Temperature	:	Not available
Decomposition Temperature	:	Not available
Flammability (solid, gas)	:	Not available
Lower Flammable Limit	:	Not available
Upper Flammable Limit	:	Not available
Vapor Pressure	:	Not available
Relative Vapor Density at 20°C	:	Not available
Relative Density	:	Not available
Specific Gravity	:	Not available
Solubility	:	Not available
Partition Coefficient: N-Octanol/Water		Not available
Viscosity	:	Not available

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity: Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

10.4. Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials. Avoid creating or spreading dust.

10.5. Incompatible Materials: Strong acids, strong bases, strong oxidizers. Polymerization catalysts. Materials reactive with hydroxyl compounds. Alkalis. Metal hydrides. Permanganates. When molten: water.

10.6. Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified

Acute Toxicity (Dermal): Not classified

Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Not classified

Eye Damage/Irritation: Not classified

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: May cause an allergic skin reaction. Contact with hot wax may cause thermal burns.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes. Contact with hot wax may cause thermal burns.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None known.

11.2. Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

LD50 Oral Rat4400 mg/kgLD50 Dermal Rabbit> 5 g/kgDiethyl phthalate (84-66-2)8600 mg/kgLD50 Oral Rat8600 mg/kgLD50 Dermal Rat> 11200 mg/kgLC50 Inhalation Rat> 4.64 mg/l (Exposure time: 6 h)LC50 Inhalation Rat> 5.68 mg/l/4h (Converted from 4.64 mg/l/6h)Coumarin (91-64-5)293 mg/kgLD50 Dermal Rat> 2000 mg/kg	D-Limonene (5989-27-5)	
Diethyl phthalate (84-66-2)LD50 Oral Rat8600 mg/kgLD50 Dermal Rat> 11200 mg/kgLC50 Inhalation Rat> 4.64 mg/l (Exposure time: 6 h)LC50 Inhalation Rat> 5.68 mg/l/4h (Converted from 4.64 mg/l/6h)Coumarin (91-64-5)293 mg/kgLD50 Oral Rat293 mg/kgLD50 Dermal Rat> 2000 mg/kg	LD50 Oral Rat	4400 mg/kg
LD50 Oral Rat8600 mg/kgLD50 Dermal Rat> 11200 mg/kgLC50 Inhalation Rat> 4.64 mg/l (Exposure time: 6 h)LC50 Inhalation Rat> 5.68 mg/l/4h (Converted from 4.64 mg/l/6h)Coumarin (91-64-5)293 mg/kgLD50 Oral Rat> 2000 mg/kg	LD50 Dermal Rabbit	> 5 g/kg
LD50 Dermal Rat> 11200 mg/kgLC50 Inhalation Rat> 4.64 mg/l (Exposure time: 6 h)LC50 Inhalation Rat> 5.68 mg/l/4h (Converted from 4.64 mg/l/6h)Coumarin (91-64-5)293 mg/kgLD50 Oral Rat293 mg/kgLD50 Dermal Rat> 2000 mg/kg	Diethyl phthalate (84-66-2)	
LC50 Inhalation Rat > 4.64 mg/l (Exposure time: 6 h) LC50 Inhalation Rat > 5.68 mg/l/4h (Converted from 4.64 mg/l/6h) Coumarin (91-64-5)	LD50 Oral Rat	8600 mg/kg
LC50 Inhalation Rat > 5.68 mg/l/4h (Converted from 4.64 mg/l/6h) Coumarin (91-64-5) 293 mg/kg LD50 Oral Rat 293 mg/kg LD50 Dermal Rat > 2000 mg/kg	LD50 Dermal Rat	> 11200 mg/kg
Coumarin (91-64-5) LD50 Oral Rat 293 mg/kg LD50 Dermal Rat > 2000 mg/kg	LC50 Inhalation Rat	> 4.64 mg/l (Exposure time: 6 h)
LD50 Oral Rat 293 mg/kg LD50 Dermal Rat > 2000 mg/kg	LC50 Inhalation Rat	> 5.68 mg/l/4h (Converted from 4.64 mg/l/6h)
LD50 Dermal Rat > 2000 mg/kg	Coumarin (91-64-5)	
	LD50 Oral Rat	293 mg/kg
	LD50 Dermal Rat	> 2000 mg/kg
ATE US/CA (dermai) 300.00 mg/kg body weight	ATE US/CA (dermal)	300.00 mg/kg body weight
ATE US/CA (dust, mist) 0.50 mg/l/4h	ATE US/CA (dust, mist)	0.50 mg/l/4h
Citral (5392-40-5)	Citral (5392-40-5)	
LD50 Oral Rat 4960 mg/kg	LD50 Oral Rat	4960 mg/kg
LD50 Dermal Rabbit 2250 mg/kg	LD50 Dermal Rabbit	2250 mg/kg
D-Limonene (5989-27-5)	D-Limonene (5989-27-5)	
IARC Group 3	IARC Group	3

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations.

National Toxicology Program (NTP) Status	Evidence of Carcinogenicity.
Coumarin (91-64-5)	
IARC Group	3
National Toxicology Program (NTP) Status	Evidence of Carcinogenicity.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General: Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

D-Limonene (5989-27-5)	
LC50 Fish 1	0.619 (0.619 - 0.796) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-
	through])
EC50 Daphnia 1	0.421 mg/l
LC50 Fish 2	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
Diethyl phthalate (84-66-2)	
LC50 Fish 1	17 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	36 - 74 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	16.8 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 2	86 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Coumarin (91-64-5)	
EC50 Daphnia 1	13.5 mg/l
Citral (5392-40-5)	
LC50 Fish 1	4.1 mg/l
EC50 Daphnia 1	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
12.2. Persistence and Degradabil	ity

#4 Orange Vanilla Wax-based Products (Poured Candles, Votives, and Melts)

Persistence and Degradability May cause long-term adverse effects in the environment.

12.3. Bioaccumulative Potential

#4 Orange Vanilla Wax-based Products (Poured Candles, Votives, and Melts)		
Bioaccumulative Potential	Not established.	
Diethyl phthalate (84-66-2)		
BCF Fish 1	117	
Log Pow	2.35 (at 20 °C)	
Citral (5392-40-5)		
Log Pow	2.76 (at 25 °C)	

12.4. Mobility in Soil Not available

12.5. Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT Not regulated for transport

14.2. In Accordance with IMDG Not regulated for transport

14.3. In Accordance with IATA Not regulated for transport

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations.

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

#4 Orange Vanilla W	Vax-based Products (Poured Candles.	Votives, and Melts)

SARA Section 311/312 Hazard Classes

D-Limonene (5989-27-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Diethyl phthalate (84-66-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

CERCLA RQ

Coumarin (91-64-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Citral (5392-40-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. US State Regulations

Diethyl phthalate (84-66-2)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date Other Information : 03/02/2022

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Immediate (acute) health hazard

GHS Full Text Phrases:

Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Skin Sens. 1	Skin sensitization Category 1
H317	May cause an allergic skin reaction
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

1000 lb

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)