Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015). Revision Date: 04/28/2017 Date of Issue: 04/19/2017 Version: 1.1

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: Trapp Home Fragrance Mist -#45 Burmese Wood

Product Code: 62645

*This document is intended to be used for safety in the workplace only, and is not a consumer document.

1.2. Intended Use of the Product

Air Freshener

1.3. Name, Address, and Telephone of the Responsible Party

Company Trapp Fragrances 1025 W. 8th St. Kansas City, Missouri 64101

T: 1-800-670-4212

www.trappfragrances.com

1.4. Emergency Telephone Number

Emergency Number : 1-800-424-9300 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

GHS-US/	CA	١	(las	S	if	ic	atio	n	-	

GHS-US/CA Classificatio	n		
Skin Irrit. 2	H315		
Eye Dam. 1	H318		
Aquatic Acute 2	H401		
Aquatic Chronic 3	H412		
Full text of hazard classe	s and H-stateme	nts	s : see section 16
2.2. Label Element	S		
GHS-US/CA Labeling			
Hazard Pictograms (GHS	S-US/CA)	:	GH505
Signal Word (GHS-US/C/	4)	:	Danger
Hazard Statements (GHS	S-US/CA)	:	H315 - Causes skin irritation.
			H318 - Causes serious eye damage.
			H401 - Toxic to aquatic life.
			H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statemer	nts (GHS-US/CA)	:	P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.
			P273 - Avoid release to the environment.
			P280 - Wear protective gloves, protective clothing, and eye protection.
			P302+P352 - IF ON SKIN: Wash with plenty of water.
			P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
			contact lenses, if present and easy to do. Continue rinsing.
			P310 - Immediately call a POISON CENTER or doctor.
			P321 - Specific treatment (see section 4 on this SDS).
			P332+P313 - If skin irritation occurs: Get medical advice/attention.
			P362+P364 - Take off contaminated clothing and wash it before reuse.
			P501 - Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US/CA)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	% *
Alcohols, C12-14-secondary, ethoxylated	(CAS No) 84133-50-6	14.55 - 15
Diethyl phthalate	(CAS No) 84-66-2	0.9 - 1.2
Ethyl alcohol	(CAS No) 64-17-5	1
Polyethylene glycol	(CAS No) 25322-68-3	<= 0.45
Vanillin	(CAS No) 121-33-5	0.03531
.alphaPinene	(CAS No) 80-56-8	0.00348

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 60 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

General: Causes skin irritation. Causes serious eye damage.

Inhalation: Prolonged exposure may cause irritation.

Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis. May cause an allergic reaction in sensitive individuals.

Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None known.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, alcohol-resistant foam, carbon dioxide (CO₂), dry chemical powder. Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions. Prolonged exposure to air may cause partial non-hazardous decomposition and/or oxidation.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Remove containers from fire area if this can be done without risk. Use water spray or fog for cooling exposed containers. Do not breathe fumes from fires or vapors from decomposition.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Thermal decomposition generates: Carbon oxides (CO, CO₂). Nitrogen oxides. Ketones. Aldehydes. Organic compounds. Irritating fumes. Alcohols.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not breathe vapor, mist or spray. Do not get in eyes, on skin, or on clothing.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Absorb and/or contain spill with inert material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, and spray. Do not get in eyes, on skin, or on clothing. Use appropriate personal protective equipment (PPE).

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool and well-ventilated place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Containers which are opened should be properly resealed and kept upright to prevent leakage. Store in original container.

Incompatible Materials: Strong acids, strong bases, strong oxidizers. Water reactive materials. Polymerization catalysts. Materials reactive with hydroxyl compounds. Alkalis. Metal hydrides. Nitric acid. Permanganates.

7.3. Specific End Use(s)

Air Freshener

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

Ethyl alcohol (64-17-	5)	
Mexico	OEL TWA (mg/m ³)	1900 mg/m ³
Mexico	OEL TWA (ppm)	1000 ppm
USA ACGIH	ACGIH STEL (ppm)	1000 ppm
USA ACGIH	ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to
		Humans

Safety Data Sheet According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

		And According To The Hazardous Products Regulation (February 11, 2015).
USA OSHA	OSHA PEL (TWA) (mg/m³)	1900 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	1900 mg/m ³
USA NIOSH	NIOSH REL (TWA) (ppm)	1000 ppm
USA IDLH	US IDLH (ppm)	3300 ppm (10% LEL)
Alberta	OEL TWA (mg/m³)	1880 mg/m ³
Alberta	OEL TWA (ppm)	1000 ppm
British Columbia	OEL STEL (ppm)	1000 ppm
Manitoba	OEL STEL (ppm)	1000 ppm
New Brunswick	OEL TWA (mg/m³)	1880 mg/m ³
New Brunswick	OEL TWA (ppm)	1000 ppm
Newfoundland & Labrador	OEL STEL (ppm)	1000 ppm
Nova Scotia	OEL STEL (ppm)	1000 ppm
Nunavut	OEL STEL (ppm)	1250 ppm
Nunavut	OEL TWA (ppm)	1000 ppm
Northwest Territories	OEL STEL (ppm)	1250 ppm
Northwest Territories	OEL TWA (ppm)	1000 ppm
Ontario	OEL STEL (ppm)	1000 ppm
Prince Edward Island	OEL STEL (ppm)	1000 ppm
Québec	VEMP (mg/m ³)	1880 mg/m ³
Québec	VEMP (ppm)	1000 ppm
Saskatchewan	OEL STEL (ppm)	1250 ppm
Saskatchewan	OEL TWA (ppm)	1000 ppm
Yukon	OEL STEL (mg/m ³)	1900 mg/m ³
Yukon	OEL STEL (ppm)	1000 ppm
Yukon	OEL TWA (mg/m ³)	1900 mg/m ³
Yukon	OEL TWA (ppm)	1000 ppm
Polyethylene glycol (25322-6	58-3)	
USA AIHA	WEEL TWA (mg/m³)	10 mg/m ³ (MW>200, aerosol)
Diethyl phthalate (84-66-2)		
Mexico	OEL TWA (mg/m³)	5 mg/m ³
Mexico	OEL STEL (mg/m ³)	10 mg/m ³
USA ACGIH	ACGIH TWA (mg/m³)	5 mg/m ³
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	5 mg/m ³
Alberta	OEL TWA (mg/m³)	5 mg/m ³
British Columbia	OEL TWA (mg/m³)	5 mg/m ³
Manitoba	OEL TWA (mg/m³)	5 mg/m ³
New Brunswick	OEL TWA (mg/m³)	5 mg/m ³
Newfoundland & Labrador	OEL TWA (mg/m³)	5 mg/m ³
Nova Scotia	OEL TWA (mg/m³)	5 mg/m ³
Nunavut	OEL STEL (mg/m ³)	10 mg/m ³
Nunavut	OEL TWA (mg/m³)	5 mg/m ³
Northwest Territories	OEL STEL (mg/m³)	10 mg/m ³
Northwest Territories	OEL TWA (mg/m³)	5 mg/m ³
Ontario	OEL TWA (mg/m³)	5 mg/m ³
Prince Edward Island	OEL TWA (mg/m³)	5 mg/m ³
Québec	VEMP (mg/m ³)	5 mg/m ³
Saskatchewan	OEL STEL (mg/m³)	10 mg/m ³
Saskatchewan	OEL TWA (mg/m ³)	5 mg/m ³
Yukon	OEL STEL (mg/m³)	10 mg/m ³

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Yukon	OEL TWA (mg/m³)	5 mg/m ³		
Vanillin (121-33-5)				
USA AIHA	WEEL TWA (mg/m³)	10 mg/m ³		
.alphaPinene (80-56-8)				
USA ACGIH	ACGIH TWA (ppm)	20 ppm		
USA ACGIH	ACGIH chemical category	dermal sensitizer, Not Classifiable as a Human Carcinogen		
Alberta	OEL TWA (mg/m³)	111 mg/m³		
Alberta	OEL TWA (ppm)	20 ppm		
British Columbia	OEL TWA (ppm)	20 ppm		
Manitoba	OEL TWA (ppm)	20 ppm		
Newfoundland & Labrador	OEL TWA (ppm)	20 ppm		
Nova Scotia	OEL TWA (ppm)	20 ppm		
Nunavut	OEL STEL (ppm)	30 ppm		
Nunavut	OEL TWA (ppm)	20 ppm		
Northwest Territories	OEL STEL (ppm)	30 ppm		
Northwest Territories	OEL TWA (ppm)	20 ppm		
Ontario	OEL TWA (ppm)	20 ppm		
Prince Edward Island	OEL TWA (ppm)	20 ppm		
Québec	VEMP (mg/m ³)	112 mg/m ³		
Québec	VEMP (ppm)	20 ppm		
Saskatchewan	OEL STEL (ppm)	30 ppm		
Saskatchewan	OEL TWA (ppm)	20 ppm		

8.2. Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: Gloves. Protective clothing. Protective goggles.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear protective gloves.

Eye Protection: Chemical safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Environmental Exposure Controls: Avoid release to the environment.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties					
Physical State	: Liquid				
Appearance	: Water white to light straw				
Odor	: Characteristic				
Odor Threshold	: Not available				
рН	: 4-6.5				
Evaporation Rate	: Not available				
Melting Point	: Not available				
Freezing Point	: Not available				

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Boiling Point	:	Not available
Flash Point	:	Not available
Auto-ignition Temperature	:	Not available
Decomposition Temperature	:	Not available
Flammability (solid, gas)	:	Not available
Lower Flammable Limit	:	Not available
Upper Flammable Limit	:	Not available
Vapor Pressure	:	Not available
Relative Vapor Density at 20°C	:	Not available
Relative Density	:	Not available
Specific Gravity	:	0.999 - 1.01
Solubility	:	Not available
Partition Coefficient: N-Octanol/Water	:	Not available
Viscosity	:	Not available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity: Hazardous reactions will not occur under normal conditions. Prolonged exposure to air may cause partial non-hazardous decomposition and/or oxidation.

10.2. Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

10.4. Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials: Strong acids, strong bases, strong oxidizers. Water reactive materials. Polymerization catalysts. Materials reactive with hydroxyl compounds. Alkalis. Metal hydrides. Nitric acid. Permanganates.

10.6. Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified

Acute Toxicity (Dermal): Not classified

Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Causes skin irritation.

Eye Damage/Irritation: Causes serious eye damage.

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis. May cause an allergic reaction in sensitive individuals.

Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None known.

11.2. Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Ethyl alcohol (64-17-5)

LD50 Oral Rat	10470 mg/kg
LD50 Dermal Rat	20 ml/kg

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

	ימיכוו בט, בטוב / Rules And Regu	Ilations And According To The Hazardous Products Regulation (February 11, 2015).		
LC50 Inhalation Rat		124.7 mg/l/4h		
Polyethylene glycol (25322-68-3)				
LD50 Oral Rat		22 g/kg		
LD50 Dermal Rabbit		> 20 ml/kg		
Alcohols, C12-14-secondary, ethoxylate	d (84133-50-6)			
LD50 Oral Rat		2100 mg/kg		
LD50 Dermal Rat		> 14000 mg/kg		
LC50 Inhalation Rat		1.06 mg/l/4h		
ATE US/CA (oral)		500.00 mg/kg body weight		
Diethyl phthalate (84-66-2)				
LD50 Oral Rat		8600 mg/kg		
LD50 Dermal Rat		> 11200 mg/kg		
LC50 Inhalation Rat		> 4.64 mg/l (Exposure time: 6 h)		
LC50 Inhalation Rat		> 5.68 mg/l/4h (Converted from 4.64 mg/l/6h)		
Vanillin (121-33-5)				
LD50 Oral Rat		1580 mg/kg		
LD50 Dermal Rabbit		> 5010 mg/kg		
alphaPinene (80-56-8)		o" 10" "o		
LD50 Oral Rat		3700 mg/kg		
LD50 Dermal Rat		> 5000 mg/kg		
		> 2000 III5/ NB		
Ethyl alcohol (64-17-5)				
IARC Group				
OSHA Hazard Communication Carcinog		In OSHA Hazard Communication Carcinogen list.		
SECTION 12: ECOLOGICAL INFORMATION				
12.1. Toxicity				
12.1. Toxicity Ecology - General: Toxic to aquatic life. H	Harmful to aquatic life	with long lasting effects.		
-	larmful to aquatic life	with long lasting effects.		
Ecology - General: Toxic to aquatic life. I Ethyl alcohol (64-17-5) EC50 Daphnia 1		with long lasting effects. Exposure time: 48 h - Species: Daphnia magna)		
Ecology - General: Toxic to aquatic life. I Ethyl alcohol (64-17-5)	9268 - 14221 mg/l (
Ecology - General: Toxic to aquatic life. I Ethyl alcohol (64-17-5) EC50 Daphnia 1	9268 - 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
Ecology - General: Toxic to aquatic life. F Ethyl alcohol (64-17-5) EC50 Daphnia 1 LC50 Fish 2	9268 - 14221 mg/l (> 100 mg/l (Exposur 1000 mg/l	Exposure time: 48 h - Species: Daphnia magna)		
Ecology - General: Toxic to aquatic life. H Ethyl alcohol (64-17-5) EC50 Daphnia 1 LC50 Fish 2 ErC50 (algae)	9268 - 14221 mg/l (> 100 mg/l (Exposur 1000 mg/l d (84133-50-6)	Exposure time: 48 h - Species: Daphnia magna)		
Ecology - General: Toxic to aquatic life. H Ethyl alcohol (64-17-5) EC50 Daphnia 1 LC50 Fish 2 ErC50 (algae) Alcohols, C12-14-secondary, ethoxylate	9268 - 14221 mg/l (> 100 mg/l (Exposur 1000 mg/l d (84133-50-6) 3.7 (3 - 4) mg/l (Expo	Exposure time: 48 h - Species: Daphnia magna) re time: 96 h - Species: Pimephales promelas [static])		
Ecology - General: Toxic to aquatic life. H Ethyl alcohol (64-17-5) EC50 Daphnia 1 LC50 Fish 2 ErC50 (algae) Alcohols, C12-14-secondary, ethoxylate LC50 Fish 1	9268 - 14221 mg/l (l > 100 mg/l (Exposur 1000 mg/l d (84133-50-6) 3.7 (3 - 4) mg/l (Expo 0.29 mg/l (Exposure	Exposure time: 48 h - Species: Daphnia magna) re time: 96 h - Species: Pimephales promelas [static]) osure time: 96 h - Species: Lepomis macrochirus)		
Ecology - General: Toxic to aquatic life. F Ethyl alcohol (64-17-5) EC50 Daphnia 1 LC50 Fish 2 ErC50 (algae) Alcohols, C12-14-secondary, ethoxylate LC50 Fish 1 EC50 Daphnia 1	9268 - 14221 mg/l (> 100 mg/l (Exposur 1000 mg/l d (84133-50-6) 3.7 (3 - 4) mg/l (Expo 0.29 mg/l (Exposure 1.7 (Exposure time:	Exposure time: 48 h - Species: Daphnia magna) re time: 96 h - Species: Pimephales promelas [static]) osure time: 96 h - Species: Lepomis macrochirus) e time: 48 h - Species: Daphnia magna)		
Ecology - General: Toxic to aquatic life. H Ethyl alcohol (64-17-5) EC50 Daphnia 1 LC50 Fish 2 ErC50 (algae) Alcohols, C12-14-secondary, ethoxylate LC50 Fish 1 EC50 Daphnia 1 LC50 Fish 2	9268 - 14221 mg/l (> 100 mg/l (Exposur 1000 mg/l d (84133-50-6) 3.7 (3 - 4) mg/l (Expo 0.29 mg/l (Exposure 1.7 (Exposure time:	Exposure time: 48 h - Species: Daphnia magna) re time: 96 h - Species: Pimephales promelas [static]) osure time: 96 h - Species: Lepomis macrochirus) e time: 48 h - Species: Daphnia magna) 96 h - Species: Fathead Minnow)		
Ecology - General: Toxic to aquatic life. H Ethyl alcohol (64-17-5) EC50 Daphnia 1 LC50 Fish 2 ErC50 (algae) Alcohols, C12-14-secondary, ethoxylate LC50 Fish 1 EC50 Daphnia 1 LC50 Fish 2 EC50 Daphnia 2	9268 - 14221 mg/l (> 100 mg/l (Exposur 1000 mg/l d (84133-50-6) 3.7 (3 - 4) mg/l (Expo 0.29 mg/l (Exposure 1.7 (Exposure time: 0.9 mg/l (Exposure time: 0.9 mg/l (Exposure time: 0.63 mg/l	Exposure time: 48 h - Species: Daphnia magna) re time: 96 h - Species: Pimephales promelas [static]) osure time: 96 h - Species: Lepomis macrochirus) e time: 48 h - Species: Daphnia magna) 96 h - Species: Fathead Minnow)		
Ecology - General: Toxic to aquatic life. H Ethyl alcohol (64-17-5) EC50 Daphnia 1 LC50 Fish 2 ErC50 (algae) Alcohols, C12-14-secondary, ethoxylate LC50 Fish 1 EC50 Daphnia 1 LC50 Fish 2 EC50 Daphnia 2 NOEC Chronic Fish NOEC Chronic Crustacea	9268 - 14221 mg/l (> 100 mg/l (Exposur 1000 mg/l d (84133-50-6) 3.7 (3 - 4) mg/l (Expo 0.29 mg/l (Exposure 1.7 (Exposure time: 0.9 mg/l (Exposure time)	Exposure time: 48 h - Species: Daphnia magna) re time: 96 h - Species: Pimephales promelas [static]) osure time: 96 h - Species: Lepomis macrochirus) e time: 48 h - Species: Daphnia magna) 96 h - Species: Fathead Minnow)		
Ecology - General: Toxic to aquatic life. H Ethyl alcohol (64-17-5) EC50 Daphnia 1 LC50 Fish 2 ErC50 (algae) Alcohols, C12-14-secondary, ethoxylate LC50 Fish 1 EC50 Daphnia 1 LC50 Fish 2 EC50 Daphnia 2 NOEC Chronic Fish	9268 - 14221 mg/l (l > 100 mg/l (Exposur 1000 mg/l d (84133-50-6) 3.7 (3 - 4) mg/l (Expo 0.29 mg/l (Exposure 1.7 (Exposure time: 0.9 mg/l (Exposure t 0.63 mg/l 0.63 mg/l	Exposure time: 48 h - Species: Daphnia magna) re time: 96 h - Species: Pimephales promelas [static]) osure time: 96 h - Species: Lepomis macrochirus) e time: 48 h - Species: Daphnia magna) 96 h - Species: Fathead Minnow)		
Ecology - General: Toxic to aquatic life. H Ethyl alcohol (64-17-5) EC50 Daphnia 1 LC50 Fish 2 ErC50 (algae) Alcohols, C12-14-secondary, ethoxylate LC50 Fish 1 EC50 Daphnia 1 LC50 Fish 2 EC50 Daphnia 2 NOEC Chronic Fish NOEC Chronic Crustacea Diethyl phthalate (84-66-2) LC50 Fish 1	9268 - 14221 mg/l (> 100 mg/l (Exposur 1000 mg/l d (84133-50-6) 3.7 (3 - 4) mg/l (Expo 0.29 mg/l (Exposure 1.7 (Exposure time: 0.9 mg/l (Exposure t 0.63 mg/l 0.63 mg/l 17 mg/l (Exposure t	Exposure time: 48 h - Species: Daphnia magna) re time: 96 h - Species: Pimephales promelas [static]) osure time: 96 h - Species: Lepomis macrochirus) e time: 48 h - Species: Daphnia magna) 96 h - Species: Fathead Minnow) time: 48 h - Species: Daphnia magna)		
Ecology - General: Toxic to aquatic life. H Ethyl alcohol (64-17-5) EC50 Daphnia 1 LC50 Fish 2 ErC50 (algae) Alcohols, C12-14-secondary, ethoxylate LC50 Fish 1 EC50 Daphnia 1 LC50 Fish 2 EC50 Daphnia 2 NOEC Chronic Fish NOEC Chronic Crustacea Diethyl phthalate (84-66-2)	9268 - 14221 mg/l (> 100 mg/l (Exposur 1000 mg/l d (84133-50-6) 3.7 (3 - 4) mg/l (Expo 0.29 mg/l (Exposure 1.7 (Exposure time: 0.9 mg/l (Exposure time: 0.63 mg/l 0.63 mg/l 17 mg/l (Exposure ti 36 - 74 mg/l (Exposure ti	Exposure time: 48 h - Species: Daphnia magna) re time: 96 h - Species: Pimephales promelas [static]) osure time: 96 h - Species: Lepomis macrochirus) re time: 48 h - Species: Daphnia magna) 96 h - Species: Fathead Minnow) time: 48 h - Species: Daphnia magna) iime: 96 h - Species: Daphnia magna)		
Ecology - General: Toxic to aquatic life. H Ethyl alcohol (64-17-5) EC50 Daphnia 1 LC50 Fish 2 ErC50 (algae) Alcohols, C12-14-secondary, ethoxylate LC50 Fish 1 EC50 Daphnia 1 LC50 Fish 2 EC50 Daphnia 2 NOEC Chronic Fish NOEC Chronic Fish NOEC Chronic Crustacea Diethyl phthalate (84-66-2) LC50 Fish 1 EC50 Daphnia 1 LC50 Fish 2	9268 - 14221 mg/l (l > 100 mg/l (Exposur 1000 mg/l d (84133-50-6) 3.7 (3 - 4) mg/l (Expo 0.29 mg/l (Exposure 1.7 (Exposure time: 0.9 mg/l (Exposure ti 0.63 mg/l 0.63 mg/l 17 mg/l (Exposure ti 36 - 74 mg/l (Exposure 16.8 mg/l (Exposure	Exposure time: 48 h - Species: Daphnia magna) re time: 96 h - Species: Pimephales promelas [static]) osure time: 96 h - Species: Lepomis macrochirus) e time: 48 h - Species: Daphnia magna) 96 h - Species: Fathead Minnow) time: 48 h - Species: Daphnia magna) ime: 96 h - Species: Pimephales promelas [flow-through]) ure time: 48 h - Species: Daphnia magna) e time: 96 h - Species: Pimephales promelas [static])		
Ecology - General: Toxic to aquatic life. H Ethyl alcohol (64-17-5) EC50 Daphnia 1 LC50 Fish 2 ErC50 (algae) Alcohols, C12-14-secondary, ethoxylate LC50 Fish 1 EC50 Daphnia 1 LC50 Fish 2 EC50 Daphnia 2 NOEC Chronic Fish NOEC Chronic Fish NOEC Chronic Crustacea Diethyl phthalate (84-66-2) LC50 Fish 1 EC50 Daphnia 1 LC50 Fish 2 EC50 Daphnia 2	9268 - 14221 mg/l (l > 100 mg/l (Exposur 1000 mg/l d (84133-50-6) 3.7 (3 - 4) mg/l (Expo 0.29 mg/l (Exposure 1.7 (Exposure time: 0.9 mg/l (Exposure ti 0.63 mg/l 0.63 mg/l 17 mg/l (Exposure ti 36 - 74 mg/l (Exposure 16.8 mg/l (Exposure	Exposure time: 48 h - Species: Daphnia magna) re time: 96 h - Species: Pimephales promelas [static]) osure time: 96 h - Species: Lepomis macrochirus) re time: 48 h - Species: Daphnia magna) 96 h - Species: Fathead Minnow) time: 48 h - Species: Daphnia magna) iime: 96 h - Species: Daphnia magna)		
Ecology - General: Toxic to aquatic life. H Ethyl alcohol (64-17-5) EC50 Daphnia 1 LC50 Fish 2 ErC50 (algae) Alcohols, C12-14-secondary, ethoxylate LC50 Fish 1 EC50 Daphnia 1 LC50 Fish 2 EC50 Daphnia 2 NOEC Chronic Fish NOEC Chronic Crustacea Diethyl phthalate (84-66-2) LC50 Fish 1 EC50 Daphnia 1 LC50 Fish 2 EC50 Daphnia 2 Vanillin (121-33-5)	9268 - 14221 mg/l (> 100 mg/l (Exposur 1000 mg/l d (84133-50-6) 3.7 (3 - 4) mg/l (Expo 0.29 mg/l (Exposure time: 0.9 mg/l (Exposure time: 0.9 mg/l (Exposure time: 0.63 mg/l 0.63 mg/l 17 mg/l (Exposure ti 36 - 74 mg/l (Exposure ti 86 mg/l (Exposure ti	Exposure time: 48 h - Species: Daphnia magna) re time: 96 h - Species: Pimephales promelas [static]) osure time: 96 h - Species: Lepomis macrochirus) e time: 48 h - Species: Daphnia magna) 96 h - Species: Fathead Minnow) time: 48 h - Species: Daphnia magna) itime: 48 h - Species: Daphnia magna) e time: 96 h - Species: Pimephales promelas [flow-through]) ure time: 48 h - Species: Daphnia magna) e time: 96 h - Species: Pimephales promelas [static]) ime: 48 h - Species: Daphnia magna [Static])		
Ecology - General: Toxic to aquatic life. H Ethyl alcohol (64-17-5) EC50 Daphnia 1 LC50 Fish 2 ErC50 (algae) Alcohols, C12-14-secondary, ethoxylate LC50 Fish 1 EC50 Daphnia 1 LC50 Fish 2 EC50 Daphnia 2 NOEC Chronic Fish NOEC Chronic Crustacea Diethyl phthalate (84-66-2) LC50 Fish 1 EC50 Daphnia 1 LC50 Fish 2 EC50 Daphnia 2 Vanillin (121-33-5) LC50 Fish 1	9268 - 14221 mg/l (> 100 mg/l (Exposur 1000 mg/l d (84133-50-6) 3.7 (3 - 4) mg/l (Expo 0.29 mg/l (Exposure 1.7 (Exposure time: 0.9 mg/l (Exposure time: 0.63 mg/l 0.63 mg/l 17 mg/l (Exposure time) 17 mg/l (Exposure time) 16.8 mg/l (Exposure time) 86 mg/l (Exposure time) 53 - 61.3 mg/l (Exposure time)	Exposure time: 48 h - Species: Daphnia magna) re time: 96 h - Species: Pimephales promelas [static]) osure time: 96 h - Species: Lepomis macrochirus) e time: 48 h - Species: Daphnia magna) 96 h - Species: Fathead Minnow) time: 48 h - Species: Daphnia magna) itime: 48 h - Species: Daphnia magna) e time: 96 h - Species: Pimephales promelas [flow-through]) ure time: 48 h - Species: Pimephales promelas [static]) ime: 48 h - Species: Daphnia magna [Static]) ime: 48 h - Species: Daphnia magna [Static]) isure time: 96 h - Species: Pimephales promelas [flow-through])		
Ecology - General: Toxic to aquatic life. H Ethyl alcohol (64-17-5) EC50 Daphnia 1 LC50 Fish 2 ErC50 (algae) Alcohols, C12-14-secondary, ethoxylate LC50 Fish 1 EC50 Daphnia 1 LC50 Fish 2 EC50 Daphnia 2 NOEC Chronic Fish NOEC Chronic Crustacea Diethyl phthalate (84-66-2) LC50 Fish 1 EC50 Daphnia 1 LC50 Fish 2 EC50 Daphnia 2 Vanillin (121-33-5) LC50 Fish 1 LC50 Fish 1	9268 - 14221 mg/l (> 100 mg/l (Exposur 1000 mg/l d (84133-50-6) 3.7 (3 - 4) mg/l (Expo 0.29 mg/l (Exposure time: 0.9 mg/l (Exposure time: 0.9 mg/l (Exposure time: 0.63 mg/l 0.63 mg/l 17 mg/l (Exposure time) 17 mg/l (Exposure time) 36 - 74 mg/l (Exposure time) 16.8 mg/l (Exposure time) 53 - 61.3 mg/l (Exposure time) 53 - 61.3 mg/l (Exposure time) 53 - 61.3 mg/l (Exposure time) 9268 - 14221 mg/l (Exposure time) 927 - 14221 mg/l (Exposure time) 928 - 14221 mg/l (Exposure time) 929 - 14221 mg/l (Exposure time) 920 - 14221 mg/l (Exposure t	Exposure time: 48 h - Species: Daphnia magna) re time: 96 h - Species: Pimephales promelas [static]) osure time: 96 h - Species: Lepomis macrochirus) e time: 48 h - Species: Daphnia magna) 96 h - Species: Fathead Minnow) time: 48 h - Species: Daphnia magna) ime: 96 h - Species: Daphnia magna) e time: 48 h - Species: Daphnia magna) e time: 48 h - Species: Daphnia magna) e time: 96 h - Species: Pimephales promelas [flow-through]) ime: 48 h - Species: Daphnia magna] e time: 96 h - Species: Daphnia magna [Static]) ime: 48 h - Species: Daphnia magna [Static]) osure time: 96 h - Species: Pimephales promelas [flow-through]) ime: 96 h - Species: Pimephales promelas [flow-through]) ime: 96 h - Species: Pimephales promelas [flow-through]) ime: 96 h - Species: Pimephales promelas [flow-through])		
Ecology - General: Toxic to aquatic life. H Ethyl alcohol (64-17-5) EC50 Daphnia 1 LC50 Fish 2 ErC50 (algae) Alcohols, C12-14-secondary, ethoxylate LC50 Fish 1 EC50 Daphnia 1 LC50 Fish 2 EC50 Daphnia 2 NOEC Chronic Fish NOEC Chronic Crustacea Diethyl phthalate (84-66-2) LC50 Fish 1 EC50 Daphnia 1 LC50 Fish 2 EC50 Daphnia 2 Vanillin (121-33-5) LC50 Fish 2 NOEC (Acute)	9268 - 14221 mg/l (l > 100 mg/l (Exposur 1000 mg/l d (84133-50-6) 3.7 (3 - 4) mg/l (Exposure 1.7 (Exposure time: 0.9 mg/l (Exposure time: 0.9 mg/l (Exposure ti 0.63 mg/l 0.63 mg/l 17 mg/l (Exposure ti 36 - 74 mg/l (Exposure ti 36 - 74 mg/l (Exposure ti 53 - 61.3 mg/l (Exposure ti 10000 mg/kg (Exposure ti	Exposure time: 48 h - Species: Daphnia magna) re time: 96 h - Species: Pimephales promelas [static]) osure time: 96 h - Species: Lepomis macrochirus) e time: 48 h - Species: Daphnia magna) 96 h - Species: Fathead Minnow) time: 48 h - Species: Daphnia magna) itime: 48 h - Species: Daphnia magna) e time: 96 h - Species: Pimephales promelas [flow-through]) ure time: 48 h - Species: Pimephales promelas [static]) ime: 48 h - Species: Daphnia magna [Static]) ime: 48 h - Species: Daphnia magna [Static]) isure time: 96 h - Species: Pimephales promelas [flow-through])		
Ecology - General: Toxic to aquatic life. H Ethyl alcohol (64-17-5) EC50 Daphnia 1 LC50 Fish 2 ErC50 (algae) Alcohols, C12-14-secondary, ethoxylate LC50 Fish 1 EC50 Daphnia 1 LC50 Fish 2 EC50 Daphnia 2 NOEC Chronic Fish NOEC Chronic Crustacea Diethyl phthalate (84-66-2) LC50 Fish 1 EC50 Daphnia 1 LC50 Fish 2 EC50 Daphnia 2 Vanillin (121-33-5) LC50 Fish 1 LC50 Fish 2 NOEC (Acute) NOEC Chronic Crustacea	9268 - 14221 mg/l (> 100 mg/l (Exposur 1000 mg/l d (84133-50-6) 3.7 (3 - 4) mg/l (Expo 0.29 mg/l (Exposure time: 0.9 mg/l (Exposure time: 0.9 mg/l (Exposure time: 0.63 mg/l 0.63 mg/l 17 mg/l (Exposure time) 17 mg/l (Exposure time) 36 - 74 mg/l (Exposure time) 16.8 mg/l (Exposure time) 53 - 61.3 mg/l (Exposure time) 53 - 61.3 mg/l (Exposure time) 53 - 61.3 mg/l (Exposure time) 9268 - 14221 mg/l (Exposure time) 927 - 14221 mg/l (Exposure time) 928 - 14221 mg/l (Exposure time) 929 - 14221 mg/l (Exposure time) 920 - 14221 mg/l (Exposure t	Exposure time: 48 h - Species: Daphnia magna) re time: 96 h - Species: Pimephales promelas [static]) osure time: 96 h - Species: Lepomis macrochirus) e time: 48 h - Species: Daphnia magna) 96 h - Species: Fathead Minnow) time: 48 h - Species: Daphnia magna) ime: 96 h - Species: Daphnia magna) e time: 48 h - Species: Daphnia magna) e time: 48 h - Species: Daphnia magna) e time: 96 h - Species: Pimephales promelas [flow-through]) ime: 48 h - Species: Daphnia magna] e time: 96 h - Species: Daphnia magna [Static]) ime: 48 h - Species: Daphnia magna [Static]) osure time: 96 h - Species: Pimephales promelas [flow-through]) ime: 96 h - Species: Pimephales promelas [flow-through]) ime: 96 h - Species: Pimephales promelas [flow-through]) ime: 96 h - Species: Pimephales promelas [flow-through])		
Ecology - General: Toxic to aquatic life. H Ethyl alcohol (64-17-5) EC50 Daphnia 1 LC50 Fish 2 ErC50 (algae) Alcohols, C12-14-secondary, ethoxylate LC50 Fish 1 EC50 Daphnia 1 LC50 Fish 2 EC50 Daphnia 2 NOEC Chronic Fish NOEC Chronic Crustacea Diethyl phthalate (84-66-2) LC50 Fish 1 EC50 Daphnia 1 LC50 Fish 2 EC50 Daphnia 2 Vanillin (121-33-5) LC50 Fish 1 LC50 Fish 2 NOEC Chronic Crustacea NOEC Chronic Crustacea .alphaPinene (80-56-8)	9268 - 14221 mg/l (l > 100 mg/l (Exposur 1000 mg/l d (84133-50-6) 3.7 (3 - 4) mg/l (Expo 0.29 mg/l (Exposure 1.7 (Exposure time: 0.9 mg/l (Exposure ti 0.63 mg/l 0.63 mg/l 0.63 mg/l 17 mg/l (Exposure ti 36 - 74 mg/l (Exposure 16.8 mg/l (Exposure ti 53 - 61.3 mg/l (Exposure ti 10000 mg/kg (Expos 5.9 mg/l	Exposure time: 48 h - Species: Daphnia magna) re time: 96 h - Species: Pimephales promelas [static]) osure time: 96 h - Species: Lepomis macrochirus) e time: 48 h - Species: Daphnia magna) 96 h - Species: Fathead Minnow) time: 48 h - Species: Daphnia magna) itime: 48 h - Species: Daphnia magna) itime: 96 h - Species: Pimephales promelas [flow-through]) ure time: 48 h - Species: Daphnia magna) e time: 96 h - Species: Pimephales promelas [static]) ime: 48 h - Species: Daphnia magna [Static]) ime: 48 h - Species: Pimephales promelas [flow-through]) ime: 96 h - Species: Pimephales promelas [flow-through]) ime: 96 h - Species: Pimephales promelas [static]) soure time: 96 h - Species: Pimephales promelas [static]) ime: 42 Days - Species: Eisenia foetida [soil dry weight])		
Ecology - General: Toxic to aquatic life. H Ethyl alcohol (64-17-5) EC50 Daphnia 1 LC50 Fish 2 ErC50 (algae) Alcohols, C12-14-secondary, ethoxylate LC50 Fish 1 EC50 Daphnia 1 LC50 Fish 2 EC50 Daphnia 2 NOEC Chronic Fish NOEC Chronic Crustacea Diethyl phthalate (84-66-2) LC50 Fish 1 EC50 Daphnia 1 LC50 Fish 2 EC50 Daphnia 2 Vanillin (121-33-5) LC50 Fish 1 LC50 Fish 2 NOEC (Acute) NOEC Chronic Crustacea	9268 - 14221 mg/l (l > 100 mg/l (Exposur 1000 mg/l d (84133-50-6) 3.7 (3 - 4) mg/l (Expo 0.29 mg/l (Exposure 1.7 (Exposure time: 0.9 mg/l (Exposure ti 0.63 mg/l 0.63 mg/l 0.63 mg/l 17 mg/l (Exposure ti 36 - 74 mg/l (Exposure 16.8 mg/l (Exposure ti 53 - 61.3 mg/l (Exposure 86 mg/l (Exposure ti 10000 mg/kg (Expos 5.9 mg/l 0.28 mg/l (Exposure	Exposure time: 48 h - Species: Daphnia magna) re time: 96 h - Species: Pimephales promelas [static]) osure time: 96 h - Species: Lepomis macrochirus) e time: 48 h - Species: Daphnia magna) 96 h - Species: Fathead Minnow) time: 48 h - Species: Daphnia magna) ime: 96 h - Species: Daphnia magna) e time: 48 h - Species: Daphnia magna) e time: 48 h - Species: Daphnia magna) e time: 96 h - Species: Pimephales promelas [flow-through]) ime: 48 h - Species: Daphnia magna] e time: 96 h - Species: Daphnia magna [Static]) ime: 48 h - Species: Daphnia magna [Static]) osure time: 96 h - Species: Pimephales promelas [flow-through]) ime: 96 h - Species: Pimephales promelas [flow-through]) ime: 96 h - Species: Pimephales promelas [flow-through]) ime: 96 h - Species: Pimephales promelas [flow-through])		

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

12.2. Persistence and Degradability				
Trapp Home Fragrance Mist -#45 Burme	Trapp Home Fragrance Mist -#45 Burmese Wood			
Persistence and Degradability	May cause long-term adverse effects in the environment.			
12.3. Bioaccumulative Potential				
Trapp Home Fragrance Mist -#45 Burme	se Wood			
Bioaccumulative Potential	Not established.			
Ethyl alcohol (64-17-5)				
Log Pow	-0.32			
Diethyl phthalate (84-66-2)				
BCF Fish 1	117			
Log Pow 2.35 (at 20 °C)				
Vanillin (121-33-5)				
.og Pow 1.23 (at 22 °C)				
.alphaPinene (80-56-8)				
Log Pow	Log Pow 4.1			
12.4. Mobility in Soil Not available				

12.5. Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- 14.1. In Accordance with DOT Not regulated for transport
- 14.2. In Accordance with IMDG Not regulated for transport
- 14.3. In Accordance with IATA Not regulated for transport
- 14.4. In Accordance with TDG Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

Trapp Home Fragrance Mist -#45 Burmese Wood			
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard		
Ethyl alcohol (64-17-5)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Polyethylene glycol (25322-68-3)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e, Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C))		
Alcohols, C12-14-secondary, ethoxylated (84133-50-6)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e, Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C))		
Diethyl phthalate (84-66-2)			

Safety Data Sheet According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules Ar	nd Regulations And According To The Hazardous Products Regulation (February 11, 2015).
Listed on the United States TSCA (Toxic Substances Contro	ol Act) inventory
CERCLA RQ	1000 lb
Vanillin (121-33-5)	
Listed on the United States TSCA (Toxic Substances Contro	ol Act) inventory
.alphaPinene (80-56-8)	
Listed on the United States TSCA (Toxic Substances Contro	ol Act) inventory
15.2. US State Regulations	
Ethyl alcohol (64-17-5)	
U.S California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of California to cause cancer. Ethyl Alcohol is included on the Proposition 65 list when it is used in alcoholic beverages.
U.S California - Proposition 65 - Developmental Toxicit	
Ethyl alcohol (64-17-5)	
U.S Massachusetts - Right To Know List	
U.S New Jersey - Right to Know Hazardous Substance Lis U.S Pennsylvania - RTK (Right to Know) List	st
Diethyl phthalate (84-66-2)	
U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance Lis U.S Pennsylvania - RTK (Right to Know) - Environmental U.S Pennsylvania - RTK (Right to Know) List	
.alphaPinene (80-56-8)	
U.S Massachusetts - Right To Know List	
U.S New Jersey - Right to Know Hazardous Substance Lis	st
U.S Pennsylvania - RTK (Right to Know) List	
15.3. Canadian Regulations	
Ethyl alcohol (64-17-5)	
Listed on the Canadian DSL (Domestic Substances List)	
Polyethylene glycol (25322-68-3)	
Listed on the Canadian DSL (Domestic Substances List)	
Alcohols, C12-14-secondary, ethoxylated (84133-50-6)	
Listed on the Canadian DSL (Domestic Substances List)	
Diethyl phthalate (84-66-2)	
Listed on the Canadian DSL (Domestic Substances List)	
Vanillin (121-33-5)	
Listed on the Canadian DSL (Domestic Substances List)	
.alphaPinene (80-56-8)	
Listed on the Canadian DSL (Domestic Substances List)	
SECTION 16: OTHER INFORMATION, INCLUDING	DATE OF PREPARATION OR LAST REVISION
Revision Date : 04/28/2017	
Other Information : This document h	nas been prepared in accordance with the SDS requirements of the OSHA nication Standard 29 CFR 1910.1200 and Canada's Hazardous Products R).
GHS Full Text Phrases:	
Aquatic Acute 2 Haz	ardous to the aquatic environment - Acute Hazard Category 2
	ardous to the aquatic environment - Chronic Hazard Category 3

Aquatic Acute 2	Hazardous to the addate environment. Acute hazard category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Irrit. 2	Skin corrosion/irritation Category 2

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

H315	Causes skin irritation
H318	Causes serious eye damage
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS 2015 (Can, US, Mex)