Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015). Revision Date: 05/22/2017 Date of Issue: 05/22/2017 Version: 1.0

SECTION 1: IDENTIFICATION

1.1. **Product Identifier**

Product Form: Mixture

Product Name: Trapp Home Fragrance Mist - #71 Indigo Acai

Product Code: 62671

*This document is intended to be used for safety in the workplace only, and is not a consumer document.

1.2. **Intended Use of the Product**

Air Freshener

1.3. Name, Address, and Telephone of the Responsible Party

Company **Trapp Fragrances** 1025 W. 8th St. Kansas City, Missouri 64101

T: 1-800-670-4212

www.trappfragrances.com

Emergency Telephone Number 1.4. Emergency Number : 1-800-424-9300 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture 2.1.

GHS-US/CA Classification	
Skin Irrit. 2 H315	
Eye Dam. 1 H318	
Repr. 1B H360	
Aquatic Acute 2 H401	
Aquatic Chronic 3 H412	
Full text of hazard classes and H-stateme	ents : see section 16
2.2. Label Elements	
GHS-US/CA Labeling	
Hazard Pictograms (GHS-US/CA)	
Signal Word (GHS-US/CA)	: Danger
Hazard Statements (GHS-US/CA)	: H315 - Causes skin irritation.
	H318 - Causes serious eye damage.
	H360 - May damage fertility or the unborn child.
	H401 - Toxic to aquatic life.
	H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statements (GHS-US/CA)	: P201 - Obtain special instructions before use.
	P202 - Do not handle until all safety precautions have been read and understood.
	P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves, protective clothing, and eye protection.
	P302+P352 - IF ON SKIN: Wash with plenty of water.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P308+P313 - If exposed or concerned: Get medical advice/attention.
	P310 - Immediately call a POISON CENTER or doctor.
	P321 - Specific treatment (see section 4 on this SDS).
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
05/22/2017	EN (English US) 1/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

P362+P364 - Take off contaminated clothing and wash it before reuse.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US/CA)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	% *
Alcohols, C12-14-secondary, ethoxylated	(CAS No) 84133-50-6	14.55 - 15
Ethyl alcohol	(CAS No) 64-17-5	1
Polyethylene glycol	(CAS No) 25322-68-3	<= 0.45
Benzenepropanal, 4-(1,1-dimethylethyl)alphamethyl-	(CAS No) 80-54-6	0.12
D-Limonene	(CAS No) 5989-27-5	0.01971
2,6-Di-tert-butyl-p-cresol	(CAS No) 128-37-0	0.015432

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 60 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

General: Causes skin irritation. Causes serious eye damage. May damage fertility. May damage the unborn child.

Inhalation: Prolonged exposure may cause irritation.

Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis. May cause an allergic reaction in sensitive individuals.

Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: May damage fertility or the unborn child.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, alcohol-resistant foam, carbon dioxide (CO₂), dry chemical powder. **Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Reactivity: Hazardous reactions will not occur under normal conditions. Prolonged exposure to air may cause partial non-hazardous decomposition and/or oxidation.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Remove containers from fire area if this can be done without risk. Do not breathe fumes from fires or vapors from decomposition. Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Thermal decomposition generates: Carbon oxides (CO, CO₂). Nitrogen oxides. Ketones. Aldehydes. Phenolic compounds. Alcohols. Organic compounds. Irritating fumes. Peroxides.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not breathe vapor, mist or spray. Do not get in eyes, on skin, or on clothing.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. **Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Absorb and/or contain spill with inert material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Precautions for Safe Handling: Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not get in eyes, on skin, or on clothing. Do not breathe mist, spray, or vapors. Use appropriate personal protective equipment (PPE).

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Containers which are opened should be properly resealed and kept upright to prevent leakage. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up.

Incompatible Materials: Strong acids, strong bases, strong oxidizers. Reducing agents. Water reactive materials. Materials reactive with hydroxyl compounds. Alkalis. Mineral acids.

7.3. Specific End Use(s)

Air Freshener

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

Safety Data Sheet According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Ethyl alcohol (64-17-5)		
Mexico	OEL TWA (mg/m³)	1900 mg/m ³
Mexico	OEL TWA (ppm)	1000 ppm
USA ACGIH	ACGIH STEL (ppm)	1000 ppm
USA ACGIH	ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to
		Humans
USA OSHA	OSHA PEL (TWA) (mg/m³)	1900 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m³)	1900 mg/m ³
USA NIOSH	NIOSH REL (TWA) (ppm)	1000 ppm
USA IDLH	US IDLH (ppm)	3300 ppm (10% LEL)
Alberta	OEL TWA (mg/m³)	1880 mg/m ³
Alberta	OEL TWA (ppm)	1000 ppm
British Columbia	OEL STEL (ppm)	1000 ppm
Manitoba	OEL STEL (ppm)	1000 ppm
New Brunswick	OEL TWA (mg/m³)	1880 mg/m ³
New Brunswick	OEL TWA (ppm)	1000 ppm
Newfoundland & Labrador	OEL STEL (ppm)	1000 ppm
Nova Scotia	OEL STEL (ppm)	1000 ppm
Nunavut	OEL STEL (ppm)	1250 ppm
Nunavut	OEL TWA (ppm)	1000 ppm
Northwest Territories	OEL STEL (ppm)	1250 ppm
Northwest Territories	OEL TWA (ppm)	1000 ppm
Ontario	OEL STEL (ppm)	1000 ppm
Prince Edward Island	OEL STEL (ppm)	1000 ppm
Québec	VEMP (mg/m³)	1880 mg/m ³
Québec	VEMP (ppm)	1000 ppm
Saskatchewan	OEL STEL (ppm)	1250 ppm
Saskatchewan	OEL TWA (ppm)	1000 ppm
Yukon	OEL STEL (mg/m³)	1900 mg/m³
Yukon	OEL STEL (ppm)	1000 ppm
Yukon	OEL TWA (mg/m³)	1900 mg/m ³
Yukon	OEL TWA (ppm)	1000 ppm
Polyethylene glycol (25322-		
USA AIHA	WEEL TWA (mg/m³)	10 mg/m ³ (MW>200, aerosol)
D-Limonene (5989-27-5)		
USA AIHA	WEEL TWA (ppm)	30 ppm
2,6-Di-tert-butyl-p-cresol (12	28-37-0)	
Mexico	OEL TWA (mg/m³)	10 mg/m ³
Mexico	OEL STEL (mg/m³)	20 mg/m ³
USA ACGIH	ACGIH TWA (mg/m³)	2 mg/m ³ (inhalable fraction and vapor)
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	10 mg/m ³
Alberta	OEL TWA (mg/m ³)	10 mg/m ³
British Columbia	OEL TWA (mg/m ³)	2 mg/m ³ (aerosol, inhalable, and vapor)
Manitoba	OEL TWA (mg/m ³)	2 mg/m ³ (inhalable fraction and vapor)
New Brunswick	OEL TWA (mg/m ³)	10 mg/m ³
Newfoundland & Labrador	OEL TWA (mg/m ³)	2 mg/m ³ (inhalable fraction and vapor)
Nova Scotia	OEL TWA (mg/m ³)	2 mg/m ³ (inhalable fraction and vapor)
Nunavut	OEL STEL (mg/m ³)	4 mg/m ³ (inhalable fraction and vapor)
Nunavut	OEL TWA (mg/m³)	2 mg/m ³ (inhalable fraction and vapor)

EN (English US)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Northwest Territories	itories OEL STEL (mg/m ³) 4 mg/m ³ (inhalable fraction and vapor)	
Northwest Territories	OEL TWA (mg/m³)	2 mg/m ³ (inhalable fraction and vapor)
Ontario	OEL TWA (mg/m³)	2 mg/m ³ (inhalable fraction and vapor)
Prince Edward Island	OEL TWA (mg/m³)	2 mg/m ³ (inhalable fraction and vapor)
Québec	VECD (mg/m ³) 10 mg/m ³	
Saskatchewan	OEL STEL (mg/m ³) 4 mg/m ³ (inhalable fraction and vapor)	
Saskatchewan	OEL TWA (mg/m³)	2 mg/m ³ (inhalable fraction and vapor)
Yukon	OEL STEL (mg/m³)	20 mg/m ³
Yukon	OEL TWA (mg/m³)	10 mg/m ³

8.2. Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear protective gloves.

Eye Protection: Chemical safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Environmental Exposure Controls: Avoid release to the environment.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

· · · · · · · · · · · · · · · · · · ·	
Physical State	: Liquid
Appearance	: Water white to light straw
Odor	: Characteristic
Odor Threshold	: Not available
рН	: 4 - 6.5
Evaporation Rate	: Not available
Melting Point	: Not available
Freezing Point	: Not available
Boiling Point	: Not available
Flash Point	: Not available
Auto-ignition Temperature	: Not available
Decomposition Temperature	: Not available
Flammability (solid, gas)	: Not available
Lower Flammable Limit	: Not available
Upper Flammable Limit	: Not available
Vapor Pressure	: Not available
Relative Vapor Density at 20°C	: Not available
Relative Density	: Not available
Specific Gravity	: 0.999 - 1.01
Solubility	: Not available
Partition Coefficient: N-Octanol/Water	: Not available

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Viscosity

: Not available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity: Hazardous reactions will not occur under normal conditions. Prolonged exposure to air may cause partial non-hazardous decomposition and/or oxidation.

10.2. Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

10.4. Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials: Strong acids, strong bases, strong oxidizers. Reducing agents. Water reactive materials. Materials reactive with hydroxyl compounds. Alkalis. Mineral acids.

10.6. Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified

Acute Toxicity (Dermal): Not classified

Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Causes skin irritation.

Eye Damage/Irritation: Causes serious eye damage.

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: May damage fertility or the unborn child.

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis. May cause an allergic reaction in sensitive individuals.

Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: May damage fertility or the unborn child.

11.2. Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Ethyl alcohol (64-17-5)	
LD50 Oral Rat	10470 mg/kg
LD50 Dermal Rat	20 ml/kg
LC50 Inhalation Rat	124.7 mg/l/4h
Polyethylene glycol (25322-68-3)	
LD50 Oral Rat	22 g/kg
LD50 Dermal Rabbit	> 20 ml/kg
Alcohols, C12-14-secondary, ethoxylated (84133-50-6)	
LD50 Oral Rat	2100 mg/kg
LD50 Dermal Rat	> 14000 mg/kg
LC50 Inhalation Rat	1.06 mg/l/4h
ATE US/CA (oral)	500.00 mg/kg body weight
Benzenepropanal, 4-(1,1-dimethylethyl)alphamethyl- (80-54-6)	
LD50 Oral Rat	1390 mg/kg
LD50 Dermal Rabbit	> 5000 mg/kg
D-Limonene (5989-27-5)	

Safety Data Sheet According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

		gulations And According To The Hazardous Products Regulation (February 11, 2015).
LD50 Oral Rat		4400 mg/kg
LD50 Dermal Rabbit		> 5 g/kg
2,6-Di-tert-butyl-p-cresol (128-37-0)		
LD50 Oral Rat		> 2930 mg/kg (Species: Sprague-Dawley)
LD50 Dermal Rat		> 2000 mg/kg
Ethyl alcohol (64-17-5)		
IARC Group		1
OSHA Hazard Communication Carcinoge	n List	In OSHA Hazard Communication Carcinogen list.
D-Limonene (5989-27-5)		
IARC Group		3
National Toxicology Program (NTP) Stat	us	Evidence of Carcinogenicity.
2,6-Di-tert-butyl-p-cresol (128-37-0)		
IARC Group		3
SECTION 12: ECOLOGICAL INFORM	ATION	
12.1. Toxicity		
Ecology - General: Toxic to aquatic life. H	armful to aquatic life	e with long lasting effects.
Ethyl alcohol (64-17-5)		
EC50 Daphnia 1	9268 - 14221 mg/l	(Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	-	re time: 96 h - Species: Pimephales promelas [static])
ErC50 (algae)	1000 mg/l	
Alcohols, C12-14-secondary, ethoxylate		
LC50 Fish 1		posure time: 96 h - Species: Lepomis macrochirus)
EC50 Daphnia 1		e time: 48 h - Species: Daphnia magna)
LC50 Fish 2	1.7 (Exposure time: 96 h - Species: Fathead Minnow)	
EC50 Daphnia 2	0.9 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
NOEC Chronic Fish	0.63 mg/l	
NOEC Chronic Crustacea	0.63 mg/l	
Benzenepropanal, 4-(1,1-dimethylethyl)	alphamethyl- (80	-54-6)
LC50 Fish 1		osure time: 96 h - Species: Brachydanio rerio [static])
EC50 Daphnia 1		e time: 48 h - Species: Daphnia magna)
LC50 Fish 2	2.04 mg/l	
D-Limonene (5989-27-5)		
LC50 Fish 1	0.619 (0.619 - 0.79	6) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-
	through])	
EC50 Daphnia 1	0.421 mg/l	
LC50 Fish 2	35 mg/l (Exposure	time: 96 h - Species: Oncorhynchus mykiss)
2,6-Di-tert-butyl-p-cresol (128-37-0)		
EC50 Other Aquatic Organisms 2	0.43 mg/l (Exposur	e time: 72 h - Species: Desmodesmus subspicatus)
12.2. Persistence and Degradabil	ity	
Trapp Home Fragrance Mist - #71 Indigo	Acai	
Persistence and Degradability	May cause long-ter	rm adverse effects in the environment.
12.3. Bioaccumulative Potential		
Trapp Home Fragrance Mist - #71 Indigo	Acai	
Bioaccumulative Potential	Not established.	
Ethyl alcohol (64-17-5)	•	
Log Pow	-0.32	
Benzenepropanal, 4-(1,1-dimethylethyl)	alphamethyl- (80	-54-6)
Log Pow	4.2 (at 24 °C)	,
2,6-Di-tert-butyl-p-cresol (128-37-0)	- /	
_, biter says percon(120-37-0)		

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

BCF Fish	1		230 - 2500
Log Pow	/		4.17
12.4.	Mobility in Soil	Not av	vailable

12.5. Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- 14.1. In Accordance with DOT Not regulated for transport
- 14.2. In Accordance with IMDG Not regulated for transport
- 14.3. In Accordance with IATA Not regulated for transport
- 14.4. In Accordance with TDG Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

Trapp Home Fragrance Mist - #71 Indigo Acai	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
	Delayed (chronic) health hazard
Ethyl alcohol (64-17-5)	

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Polyethylene glycol (25322-68-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag

XU - XU - indicates a substance exempt from reporting under the
Inventory Update Reporting Rule, i.e, Partial Updating of the TSCA
Inventory Data Base Production and Site Reports (40 CFR 710(C))

Alcohols, C12-14-secondary, ethoxylated (84133-50-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory FlagXU - XU - indicates a substance exempt from reporting under the
Inventory Update Reporting Rule, i.e, Partial Updating of the TSCA
Inventory Data Base Production and Site Reports (40 CFR 710(C))

Benzenepropanal, 4-(1,1-dimethylethyl)-.alpha.-methyl- (80-54-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

D-Limonene (5989-27-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

2,6-Di-tert-butyl-p-cresol (128-37-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. US State Regulations

Ethyl alcohol (64-17-5)

U.S California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of
	California to cause cancer. Ethyl Alcohol is included on the
	Proposition 65 list when it is used in alcoholic beverages.
U.S California - Proposition 65 - Developmental Toxicity	WARNING: This product contains chemicals known to the State of
	California to cause birth defects. Ethyl Alcohol is included on the
	Proposition 65 list when it is used in alcoholic beverages.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Ethyl alcohol (64-17-5)		
U.S Massachusetts - Right To Know List		
U.S New Jersey - Right to Know Hazardous Substance List		
U.S Pennsylvania - RTK (Right to Know) List		
2,6-Di-tert-butyl-p-cresol (128-37-0)		
U.S Massachusetts - Right To Know List		
U.S New Jersey - Right to Know Hazardous Substance List		
U.S Pennsylvania - RTK (Right to Know) List		
15.3. Canadian Regulations		
Ethyl alcohol (64-17-5)		
Listed on the Canadian DSL (Domestic Substances List)		
Polyethylene glycol (25322-68-3)		
Listed on the Canadian DSL (Domestic Substances List)		
Alcohols, C12-14-secondary, ethoxylated (84133-50-6)		
Listed on the Canadian DSL (Domestic Substances List)		
Benzenepropanal, 4-(1,1-dimethylethyl)alphamethyl- (80-54-6)		
Listed on the Canadian DSL (Domestic Substances List)		
D-Limonene (5989-27-5)		
Listed on the Canadian DSL (Domestic Substances List)		
2,6-Di-tert-butyl-p-cresol (128-37-0)		
Listed on the Canadian DSL (Domestic Substances List)		

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date

- : 05/22/2017
- **Other Information**

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR).

GHS Full Text Phrases:

Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Repr. 1B	Reproductive toxicity Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
H315	Causes skin irritation
H318	Causes serious eye damage
H360	May damage fertility or the unborn child
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS 2015 (Can, US, Mex)