64368, 64468, 64568, 74468, 74568 Trapp Reed Diffuser (Teak & Oud Wood)

Page 1 of 7 3-8-2022

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: 64368, 64468, 64568, 74468, 74568 Trapp Reed Diffuser (Teak & Oud Wood)

1.2 Relevant identified product use

Intended use: Home Fragrance Reed Diffuser

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: Trapp Fragrances 1025 West 8th Street Kansas City, Missouri 64101 (800) 670-4212_ http://www.trappfragrances.com

1.4 Emergency telephone number

(800) 424-9300 (CHEMTREC)

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4	H227: Combustible liquid
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1A	H317: May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

Classification EU (67/548/EEC, 199/45/EC)

- Xi Irritant
 - R43 : May cause sensitization by skin contact

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal Word: Warning

Hazard statments

H227	Combustible liquid
H313	May be harmful in contact with skin
H315	Causes skin irritation

64368, 64468, 64568, 74468, 74568 Trapp Reed Diffuser (Teak & Oud Wood)

Page 2 of 7 3-8-2022

	H317	May cause an allergic skin reaction
	H333	May be harmful if inhaled
	H411	Toxic to aquatic life with long lasting effects
Ρ	recautionary Statements	
Ρ	revention:	
	P235	Keep cool
	P264	Wash hands thoroughly after handling
	P272	Contaminated work clothing should not be allowed out of the workplace
	P273	Avoid release to the environment
R	esponse:	
	P302 + P352	IF ON SKIN: Wash with soap and water
	P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
	P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
	P362	Take off contaminated clothing and wash before reuse
	P363	Wash contaminated clothing before reuse
	P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
	P391	Collect Spillage
2.3	Other Hazards	

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	EU Classification
88917-22-0	618-219-0	20 - 30 %	H227	ND
Propanol, 1(or 2))-(2-methoxymeth	ylethoxy)-, aceta	te	
34590-94-8	252-104-2	10 - 20 %	H227	
PPG-2 methyl et	her			
100-79-8	202-888-7	10 - 20 %	H315; H401	Xi - R36, R37, R38
Isopropylideneg	lycerol			
54464-57-2	259-174-3	5 - 10 %	H315; H317; H400; H410	N - R51/53; Xi - R38, R43
Tetramethyl Ace	tyloctahydronapl	nthalenes		
105-95-3	203-347-8	2 - 5 %	H401	N - R51/53
Ethylene brassy	late			
121-33-5	204-465-2	1 - 2 %	H303; H319	Xi - R36
Vanillin				
24851-98-7	246-495-9	1 - 2 %	H402	
Methyldihydroja	smonate			

64368, 64468, 64568, 74468, 74568 Trapp Reed Diffuser (Teak & Oud Wood)

Page 3 of 7 3-8-2022

CAS# Ingredient	EC#	Conc. Range	GHS Classification	EU Classification
101-86-0	202-983-3	1 - 2 %	H303;H316;H317;H400;H411	Xi - R38, R43
Hexyl cinnama	ldehyde			
91-64-5	202-086-7	0.1 - 1.0 %	H302; H317; H402	Xi - R43; Xn - R22
<i>Coumarin</i> 115-95-7	204-116-4	0.1 - 1.0 %	H227;H315;H317;H319;H402	Xi - R38
Linalyl acetate				
70788-30-6	274-892-7	0.1 - 1.0 %	H317	Xi - R38
Trimethyl-prop	ylcyclohexane	propanol		
8014-17-3(P)	277-143-2	0.1 - 1.0 %	H227;H315;H317;H318;H401;H411	R10; N - R51/53; Xi - R43; Xn -
Citrus Aurantie	um Amara (Bitt	er Orange) Leaf	/Twig Oil	R65
97-54-1	202-590-7	0.01 - 0.1%	H302;H312;H315;H317;H319;H401	Xi - R36, R38, R43; Xn - R21, R22
Iso Eugenol				
See Section 16	for full text of	GHS classificat	ion codes	

Total Hydrocarbon Content (% w/w) = 0.36

Further information:

4. First Aid Measures	
4.1 Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most important symptoms and ef	fects, both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate medi	cal attention and special treatment needed
Treatment:	Refer to Section 2.2 "Response"
5. Fire-Fighting measures	
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material
5.2 Special hazards arising from the	substance or mixture
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective

Standard procedure for chemical fires

64368, 64468, 64568, 74468, 74568 Trapp Reed Diffuser (Teak & Oud Wood)

Page 4 of 7 3-8-2022

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

Home Fragrance Reed Diffuser

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Component		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
34590-94-8 PPG-2 met	hyl ether	100	150	100	
Engineering Controls:	Use local exhaust as needed.				
8.2 Exposure controls - Perso	onal protective equipment				
Eye protection:	Tightly sealed goggles, face shield, or sa as may be appropriate for the exposure	afety glasse	es with bro	w guards	and side shields, etc.
Respiratory protection:	Avoid excessive inhalation of concentrat	ed vapors.	Apply loca	al ventilati	on where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resis	stant gloves	as neede	d.	

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Nearly Colorless G0

64368, 64468, 64568, 74468, 74568 Trapp Reed Diffuser (Teak & Oud Wood)

Page 5 of 7 3-8-2022

Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	190 F (87.78 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0813
%VOC:	17.5483
Specific Gravity @ 25 C:	0.9870
Density @ 25 C:	0.9840
Refractive Index @ 20 C:	1.4380
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 5,048.48) Not classified - the classification criteria are not met
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4,155.00) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 36.89) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met

64368, 64468, 64568, 74468, 74568 Trapp Reed Diffuser (Teak & Oud Wood)

Page 6 of 7 3-8-2022

Specific target organ toxicity - repeated exposure Aspiration hazard	Not classified - the classification criteria are not met Not classified - the classification criteria are not met
Aspiration nazaru	
12. Ecological Information	
12.1 Toxicity	
Acute acquatic toxicity	Not classified - the classification criteria are not met
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13.	Disposal	Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

DOT

Not regulated

<u>IATA</u>

Not regulated

IMDG

Not regulated

15. Regulatory Information

Additional European Regulations:

European Union (EINECS, ELINCS or NLP): 99.99% (by Wt) of the components are listed or exempt.

Additional Asian Regulations:

64368, 64468, 64568, 74468, 74568 Trapp Reed Diffuser (Teak & Oud Wood)

Page 7 of 7 3-8-2022

Australian AICS:	99.99% (by Wt) of the ingredients on AICS or notified.
Chinese IECS:	100.00% (by Wt) of the ingredients on IECS.
Japan ENCS:	99.95% (by Wt) of the ingredients on ENCS, fall within the 1000 kilogram per annum exemption or have been notified.
Korea KECL:	99.98% (by Wt) of the ingredients on KECL, fall within the 100 kilogram per annum exemption or have been notified.
New Zealand NZIoC:	90.00% (by Wt) of the ingredients on NZIoc.
Philippines PICCS:	100.00% (by Wt) of the ingredients on PICCS.
The Status of the following ingredient(s) is N	OT known for the registration lists noted;

Lists noted within <> brackets after name

13466-78-9	236-719-3	0.01 - 0.1%	delta-3-Carene : < KECL>
100-79-8	202-888-7	10 - 20 %	lsopropylideneglycerol : < NZIoC>

16. Other Information

GHS H-Statements referred to under section 3

H302 : Harmful if swallowed
H312 : Harmful in contact with skin
H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation
H401 : Toxic to aquatic life
H410 : Very toxic to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk

- (1.76) Skin Corrosion/Irritation, Category 2
- (2.97) Aquatic Chronic Toxicity, Category 2

- H303 : May be harmful if swallowed
- H316 : Causes mild skin irritation
- H318 : Causes serious eye damage
- H400 : Very Toxic to aquatic life
- H402 : Harmful to aquatic life

(TFV) Risk(2.00) Sensitization, Skin, Category 1A

Remarks

This safety data sheet is based on the properties of the material known to us at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment we hold no responsibility. This document is not intended for quality assurance purposes.