Product: Teak and Oud Wood Ultrasonic Diffuser Oil

Product#: 61768

7/12/21

Page 1 of 8

## Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Trade Name: Teak and Oud Wood Ultrasonic Diffuser Oil

Product/Sales No: 71768

1.2 Relevant indentified product use

Intended use: Diluted in ultrasonic diffuser appliance

Details of the manufacturer/supplier of the safety data sheet

Manufacturer: **Trapp Fragrances** 

1025 West 8th Street

Kansas City, Missouri 64101

(800) 670-4212

http://www.trappfragrances.com

### 1.4 Emergency telephone number

(800) 424-9300 CHEMTREC

#### 2. **Hazards Identification**

#### Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

### Classification according to GHS

H303: May be harmful if swallowed Acute Toxicity Oral, Category 5

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Aquatic Chronic Toxicity, Category 1 H410: Very toxic to aquatic life with long lasting effects

### Classification EU (67/548/EEC, 199/45/EC) and No 1272/2008 (CLP)

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2 H319: Causes serious eye irritation

Aquatic Chronic Toxicity, Category 1 H410: Very toxic to aquatic life with long lasting effects

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

#### Hazard pictograms





Signal Word: Warning Hazard statements

Teak and Oud Wood Ultrasonic Diffuser Oil

Product#: 61768 Page 2 of 8

7/12/21

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H410	Very toxic to aquatic life with long lasting effects
Precautionary State	ements

Prevention:

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention P362 Take off contaminated clothing and wash before reuse

Wash contaminated clothing before reuse P363

P391 Collect Spillage

#### 2.30ther Hazardsno

data available

## **Composition/Information on Ingredients**

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification			
54464-57-2	259-174-3	30 - 40 %	H315; H317; H400; H410			
Tetramethyl Acetyloctahydronaphthalenes						
107-41-5	203-489-0	20 - 30 %	H315; H319			
Hexylene Glycol						
24851-98-7	246-495-9	10 - 20 %	H402			
Methyldihydrojasmonate						
105-95-3	203-347-8	10 - 20 %	H401			

Product: Teak and Oud Wood Ultrasonic Diffuser Oil

Product#: **61768** Page 3 of 8 7/12/21

Ethylene brassylate

**91-64-5** 202-086-7 2 - 5 % H302; H317; H402

Coumarin

Product: Teak and Oud Wood Ultrasonic Diffuser Oil

Product#: **61768** 

Page 4 of 8 7/12/21

CAS# Ingredient	EC#	Conc. Range	GHS Classification
20665-85-4	243-956-6	2 - 5 %	H401
Vanillin is	obutyrate		
115-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402
Linalyl Ac	etate		
3100-36-5	401-700-2	2 - 5 %	H400; H410
Cyclohex	adec-8-en-1-on	e mixture of cis a	nd trans isomer
70788-30-6	274-892-7	1 - 2 %	H317
Trimethyl	-propylcyclohex	anepropanol	
123-11-5	204-602-6	1 - 2 %	H303; H402; H412
Anisaldel	nyde		
<b>78-70-6</b> <i>Linalool</i>	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
<b>5989-27-5</b> <i>Limonene</i>	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412
80-56-8 pinene	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410
<b>127-91-3</b> beta Pine	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
13466-78-9 delta-3-C	236-719-3	0.1 - 1.0 %	H226; H303; H304; H315; H317; H332; H401; H411
97-54-1 Iso Eugei	202-590-7	0.1 - 1.0 %	H302; H312; H315; H317; H319; H332; H335; H401
_		GHS classification	

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 2.01

## 4. First Aid Measures

## 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Product: Teak and Oud Wood Ultrasonic Diffuser Oil

Product#: 61768 Page 5 of 8

7/12/21

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

Product: Teak and Oud Wood Ultrasonic Diffuser Oil

Product#: 61768

7/12/21

Page 6 of 8

## 5. Fire-Fighting measures

## 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

**Unsuitable** Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

#### 6. Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

### 8. Exposure Controls/Personal Protection

delta-3-Carene

### 8.1 Control parameters

Ex	no	SU	re	Li	mits	
-	$\sim$	Ju				

13466-78-9

Component		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
80-56-8	pinene	20			
127-91-3	beta Pinene	20			

20

Product: Teak and Oud Wood Ultrasonic Diffuser Oil

Product#: 61768

7/12/21

Page 7 of 8

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

## 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard Color: Conforms to Standard

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Not determined

Not determined

Not determined

Not determined

Not determined

>200 F (93.33 C)

Auto flammability:

Not determined

None Expected

Oxidizing properties:

None Expected

**Vapor Pressure (mmHg@20 C):** 0.0471 **%VOC:** 3.50

Specific Gravity @ 25 C: Not determined

Density @ 25 C: Not determined

Refractive Index @ 20 C: Not determined

Soluble in: Oil

## 10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

Product: Teak and Oud Wood Ultrasonic Diffuser Oil

Product#: 61768

7/12/21

Page 8 of 8

#### 11. **Toxicological Information**

### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3421.0925) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 2799.9908) May be harmful in contact with skin

(LD50: 42.7499) May be harmful if inhaled Acute toxicity - Inhalation - (Rat) mg/L/4hr

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met Carcinogenicity Not classified - the classification criteria are not met Not classified - the classification criteria are not met Reproductive toxicity Specific target organ toxicity - single exposure Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

**Aspiration hazard** Not classified - the classification criteria are not met

#### **Ecological Information** 12.

## 12.1 Toxicity

Acute acquatic toxicity Not classified - the classification criteria are not met Chronic acquatic toxicity Very toxic to aquatic life with long lasting effects

**Toxicity Data on soil** no data available Toxicity on other organisms no data available

12.2 Persistence and degradability no data available 12.3 Bioaccumulative potential no data available 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available

#### 13. **Disposal Conditions**

### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Product: Teak and Oud Wood Ultrasonic Diffuser Oil

Product#: 61768 Page 9 of 8

7/12/21

## 14. Transport Information

**DOT** Not Regulated

IATA Not Regulated

**IMDG** Not Regulated

## 15. Regulatory Information

**Additional European Regulations** 

**European Union (EINECS, ELINCS or NLP)** 99.93% (By Wt) of the components are listed or exempt.

**Additional Asian Regulations** 

Australian AICS 99.93% (By Wt) of the ingredients on AICS or notified.

Chinese IECS 100.00% (By Wt) of the ingredients on IECS.

**Japan ENCS** 99.74% (By Wt) of the ingredients on ENCS, fall within the 1000

kilogram per annum exemption or have been notified.

Korea KECL 94.00% (By Wt) of the ingredients on KECL, fall within the 100

kilogram per annum exemption or have been notified.

New Zealand NZloc 100.00% (By Wt) of the ingredients on NZloc.

Philippines PICCS 98.00% (By Wt) of the ingredients on PICCS.

The Status of the following ingredient(s) is NOT known for the registration lists noted;

Asian Disclosure Lists noted within <> brackets after name

20665-85-4 243-956-6 2 - 5 % Vanillin isobutyrate: <KECL>

3100-36-5 401-700-2 2 - 5 % Cyclohexadec-8-en-1-one mixture of cis and trans isomer: <KECL,

PICCS>

## 16. Other Information

### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H227 : Combustible liquid

H302 : Harmful if swallowed H304 : May be fatal if swallowed and enters airways

H312 : Harmful in contact with skin

H317 : May cause an allergic skin reaction

H319 : Causes serious eye irritation H320 : Causes eye irritation

H332 : Harmful if inhaled H335 : May cause respiratory irritation

Product: Teak and Oud Wood Ultrasonic Diffuser Oil

Product#: 61768 Page 10 of 8

7/12/21

H400: Very Toxic to aquatic life H401: Toxic to aquatic life

H402: Harmful to aquatic life H411: Toxic to aquatic life with long lasting effects

H412: Harmful to aquatic life with long lasting effects

**Total Fractional Values** 

(TFV) Risk (TFV) Risk (129.88) Aquatic Chronic Toxicity, Category 3 (116.96) Acute Toxicity Inhalation, Category 5 (30.00) Sensitization, Skin, Category 1B (12.98) Aquatic Chronic Toxicity, Category 2 (5.96) Skin Corrosion/Irritation, Category 3 (5.89) Skin Corrosion/Irritation, Category 2 (2.79) Eye Damage/Eye Irritation, Category 2 (2.50) Eye Damage/Eye Irritation, Category 2A (1.79) Acute Toxicity Dermal, Category 5 (1.46) Acute Toxicity Oral, Category 5

(1.39) Aquatic Chronic Toxicity, Category 4 (1.30) Aquatic Chronic Toxicity, Category 1

(1.00) Sensitization, Skin, Category 1A (1.02) Sensitization, Skin, Category 1

#### Remarks

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment we hold no responsibility. This document is not intended for quality assurance purposes.