Product : Watermint Eucalyptus Ultrasonic Diffuser Oil

1 PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

71776 Watermint Eucalyptus Ultrasonic Diffuser Oil

1.2 Relevant identified uses of the substance or mixture and uses advised against

Diluted in ultrasonic diffuser appliance

1.3 Details of the supplier of the safety data sheet

Supplier	: Trapp Fragrances
Address	: 1025 West 8 th Street, Kansas City, Missouri 64101
Telephone	: 1-800-670-4212
e-mail	: www.trappfragrances.com

1.4 Emergency telephone number

Emergency telephone : CHEMTREC 1-800-424-9300

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Physical hazardsFlam. Liq. 4: Combustible liquid.Health DangersSkin Sens. 1: May cause an allergic skin reaction.Eye Irrit. 2A: Causes serious eye irritation.Environmental hazardsAquatic Chronic 2: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Pictogram

Product : Watermint Eucalyptus Ultrasonic Diffuser Oil



Signal Word

WARNING

Hazard Statements

H227: Combustible liquid.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H411: Toxic to aquatic life with long lasting effects.

Precautionary Statements

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P261: Avoid breathing dust/fume/gas/mist/vapors/spray.

P273: Avoid release to the environment.

P333+P313: If skin irritation or rash occurs: Get medical advice.

P370+P378: In case of fire: Use water for extinction.

P305+P351+P338: IF IN EYES: Rinse with water for several minutes. Remove contact lenses, if present.

P337+P313: If eye irritation persists: Get medical advice

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P391: Collect spillage.

P321: Specific treatment (see this label).

P363: Wash contaminated clothing before reuse.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

P272: Contaminated work clothing should not be allowed out of the workplace.

2.3 Other hazards

None

3 COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

Product : Watermint Eucalyptus Ultrasonic Diffuser Oil

CAS-No.: Not applicable

3.2 Mixtures

Hazardous Substances

Component	CAS	Concentration limit	CLASSIFICATION
BENZYL ACETATE	140-11-4	>= 1 % - 5 %	Aquatic Chronic 3, H412
2,6-dimethyloct-7-en-2-ol	18479-58-8	>= 1 % - 5 %	Flam. Liq. 4, H227 Skin irrit. 2, H315 Eye Irrit. 2A, H319
DIETHYL MALONATE	105-53-3	>= 1 % - 5 %	Flam. Liq. 4, H227 Eye Irrit. 2A, H319
1,6-Nonadien-3-ol, 3,7-dimethyl-	10339-55-6	>= 1 % - 5 %	Flam. Liq. 4, H227 Skin Sens. 1B, H317 Eye Irrit. 2A, H319
CYCLAMEN ALDEHYDE	103-95-7	>= 1 % - 5 %	Flam. Liq. 4, H227 Skin irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
LINALYL ACETATE	115-95-7	>= 1 % - 5 %	Flam. Liq. 4, H227 Skin irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2B, H320
EUCALYPTOL	470-82-6	>= 1 % - 5 %	Flam. Liq. 3, H226 Skin Sens. 1B, H317 Eye Irrit. 2B, H320
ННСВ	1222-05-5	>= 1 % - 5 %	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3-METHYL-5-PHENYL-1-PENTANOL	55066-48-3	>= 1 % - 5 %	Acute Tox. 4 Oral, H302
ALLYL CYCLOHEXYLPROPIONATE	2705-87-5	>= 1 % - 5 %	Acute Tox. 4 Oral, H302 Acute Tox. 4 Dermale, H312 Skin Sens. 1, H317 Acute Tox. 4 Inhalation, H332 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
a,a-DIMETHYL-p-ETHYLPHENYLPROPANAL	67634-15-5	>= 0.1 % - 1 %	Skin irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
ACETYL CEDRENE	32388-55-9	>= 0.1 % - 1 %	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3-Cyclohexene-1-carboxaldehyde, 1-methyl-4-(4- methyl-3-penten-1-yl)-	52475-86-2	>= 0.1 % - 1 %	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
DELTA DAMASCONE	57378-68-4	>= 0.1 % - 1 %	Acute Tox. 4 Oral, H302 Skin irrit. 2, H315 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Ingredients having an occupational exposure limit value: See section 8.

4 FIRST AID MEASURES

Product : Watermint Eucalyptus Ultrasonic Diffuser Oil

4.1 Description of first aid measures

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

4.2 Most important symptoms and effects, both acute and delayed

Get medical attention if symptoms persist.

4.3 Indication of any immediate medical attention and special treatment needed

Never give liquid to an unconscious person.

5 FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media

Water, CO2 or Foam Extinguishing media to avoid Avoid water in straight hose stream; will scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

Avoid breathing dust or vapor. Cool containers exposed to flames with water until well after the fire is out.

5.3 Advice for firefighters

No specific precautions.

6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Contain spillages with sand, earth or any suitable adsorbent material.

6.2 Environmental precautions

There must be no release into the environment.

Product : Watermint Eucalyptus Ultrasonic Diffuser Oil

6.3 Methods and materials for containment and cleanup procedure

Collect with non-combustible absorbent material. Flush with water. Dike for large spills.

6.4 Reference to other sections

See Section 8 of the SDS for Personal Protective Equipment. For waste disposal, see section 13 of the SDS.

7 HANDLING AND STORAGE

7.1 Precautions for safe handling

7.1.1 Protective measures

Keep strict control of dust accumulation to a minimum. Maintain adequate local and general ventilation where product is handled. Avoid any sources of ignition.

7.1.2 Advice on general occupational hygiene

Good personal washing routines should be followed

7.2 Condition for safe storage, including any incompatibilities

Keep only in the original container in an appropriate place.

7.3 Specific end use(s)

No specific precautions.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Component	CAS	Concentration limit	OEL (ppm)
BENZYL ACETATE	140-11-4	>= 1 % - 5 %	10 (ACGIH)

8.2 Exposure controls

8.2.1 Environmental exposure controls

Product : Watermint Eucalyptus Ultrasonic Diffuser Oil

Discharge, treatment, or disposal may be subject to national, state, or local laws.

8.2.2 Personal protective equipment (ppe)

Respiratory protection: In case of inadequate ventilation use suitable respirator. Eye protection: Wear goggles/face shield. Hand protection: Gloves. Skin protection: Wear suitable protective clothing. Provide adequate ventilation if fumes or vapors are generated.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

- Physical State: LIQUID
- Color: From COLORLESS to YELLOW
- Odor: Characteristic
- pH: No data available.
- Melting point (°C): No data available.
- Boiling point (°C): No data available.
- Flash point (°F): 189.3 °F (87.4°C)
- Evaporation Rate: No data available.
- Flammability (solid, gas): No data available.
- Upper/lower limit on flammability or explosive limits: No data available.
- Vapor pressure: No data available.
- Vapor Density: No data available.
- Specific Gravity: 1.006 / 1.016
- Solubility: No data available.
- Log Pow (n-Octanol/Water Partition Coefficient): No data available.
- Auto Ignition Temp. (°C): No data available.
- Decomposition temperature (°C): No data available.

Product : Watermint Eucalyptus Ultrasonic Diffuser Oil

- Viscosity at 40°C: No data available.
- Explosive properties: No data available.
- Oxidizing properties: No data available.
- Vapor pressure at 20°C: No data available.
- Vapor pressure at 50°C: No data available.

9.2 Other information

No other information noted.

10 STABILITY AND REACTIVITY

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Store in a cool, dry place with adequate ventilation. Keep away from incompatible materials, open flames, and high temperatures.

10.5 Incompatible materials

No data available.

10.6 Hazardous decomposition products

No data available.

Product : Watermint Eucalyptus Ultrasonic Diffuser Oil

11 TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Product Information

 LD50 Dermal(mg/kg)
 > 5000 (Calculated)

 LD50 Oral(mg/kg)
 > 5000 (Calculated)

 CL50 Inhalation - vapor(mg/l)
 > 100 (Calculated)

11.2 Other toxicological data information

This product has not been subject to toxicological testing as an entity. According to available data on the constituents, the health classification criteria are met.

11.3 Information about carcinogens

- NTP: None
- IARC: None

OSHA: None

12 ECOLOGICAL INFORMATION

12.1 Toxicity

Product Information

Toxicity Fish	:	No data available.
Toxicity Alga	:	No data available.
Toxicity Water Flea	:	No data available.
Toxicity Rat	:	No data available.

12.2 Persistence and degradability

Biodegradability Hydrosolubility Comments No data available.No data available.None

12.3 Other eco-toxicological information

Product : Watermint Eucalyptus Ultrasonic Diffuser Oil

This product has not been subject to eco-toxicological testing as an entity. According to available data on the constituents, the environment classification criteria are met.

Log Pow (n-Octanol/Water Partition Coefficient) Bio Concentration Factor Bioaccumulative potential Mobility in soil Other adverse effects No data available.

13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Do not release into the environment. Confirm disposal procedures with environmental engineer and local regulations.

13.2 Other information

Always keep original label(s) on empty recipients (drums/pails).

14 TRANSPORT INFORMATION

DOT

Not regulated

<u>IATA</u>

Not regulated

IMDG

Not regulated

Product : Watermint Eucalyptus Ultrasonic Diffuser Oil

15 REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture: No recommendation given

16 OTHER INFORMATION

16.1 Entire text of the H and P phrases mentioned in chapters 2 and 3:

H226	Flammable liquid and vapor.
H227	Combustible liquid.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P273	Avoid release to the environment.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P370+P378	In case of fire: Use water for extinction.
P305+P351+P338	IF IN EYES: Rinse with water for several minutes. Remove contact lenses, if present.
P337+P313	If eye irritation persists: Get medical advice
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P391	Collect spillage.
P321	Specific treatment (see this label).
P363	Wash contaminated clothing before reuse.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
P272	Contaminated work clothing should not be allowed out of the workplace.

Product : Watermint Eucalyptus Ultrasonic Diffuser Oil

16.2 Abbreviation and acronyms

CAS: Chemical Abstracts Service CO2: Carbon dioxyde LD50: Lethal dose 50 NTP: National Toxicology program IARC: International Agency for Research on Cancer OSHA: Occupational Safety and Health Administration UN: United Nations IMDG : International Maritime Dangerous Goods IATA : International Air Transport Association

16.3 Key literature references and sources for data

This Safety Data Sheet has been prepared in accordance with the Hazard Communication Standard (HCS) and its amendements, promulgated by the US Occupational Safety and Health Administration (OSHA) – 29 CFR 1900.1200. We cannot be held responsible in the event of improper usage of this product. It is up to the user to analyse the information given and to determine appropriate handling conditions for the safe use of this product. It is up to its activities. It is the user's liability to conform to all local, national, and international regulations that apply to its activities. This automatically generated safety data sheet is valid without signature.

The information provided is correct to the best of our knowledge, information and belief at the date of its publication. The information is provided as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.