| SAFETY DATA SHEET In accordance with the requireme and 1926. | nts of US 29 (| FR Parts 1910, 1915, | |
|---|--|---|--------------------|
| Ginger Sage Ultrasonic | c Diffuser | Oil | |
| Version 1.0 | | | Issue Date 11/2/23 |
| SECTION 1. PRODUCT AND C Product information | OMPANY IE | ENTIFICATION | |
| Product | : 71778 Ginger Sage Ultrasonic Diffuser Oil | | |
| Relevant identified uses of the substance or mixture and uses advised against Intended Use Fragrances | : Diluted in | ultrasonic diffuser appliance | |
| Company | | 8th Street | |
| | 800-670- | City MO 64101 4212 ppfragrances.com | |
| Emergency telephone number (CHEMTREC) | : 800-424-9 | 9300 | |
| Please refer to section 16 for | a full list of err | ergency phone numbers. | |
| SECTION 2. HAZARDS IDEI Classification according to H0 Flammable liquids, Category 4 Skin irritation, Category 2 | CS 2012 (29 | | 1926) |
| Eye irritation, Category 2A Skin sensitisation, Category 1 | | H319: Causes serious eye irrit H317: May cause an allergic s | |
| Label elements | | | |
| Labelling (REGULATION 2 | 29 CFR Parts | s 1910, 1915, and 1926). | |
| Hazard pictograms | | > · · · · · | |
| Signal word | : Warning | | |
| - | . wanning | | |
| Hazard statements | : H227 H315 H317 H319 | Combustible liquid. Causes skin irritation. May cause an allergic Causes serious eye irr | |
| | | | |

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.

Ginger Sage Ultrasonic Diffuser Oil Version 1.0

Issue Date 11/2/23

| Precautionary statements | : Prevention: | |
|--|--|--|
| | P210 | Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. |
| | P261 | Avoid breathing mist or vapours. |
| | P264 | Wash skin thoroughly after handling. |
| | P272 | Contaminated work clothing must not be |
| | | allowed out of the workplace. |
| | P280 | Wear protective gloves/ eye protection/ face protection. |
| | Response: | |
| | P302 + P352 | IF ON SKIN: Wash with plenty of soap and water. |
| | P305 + P351 + | - P338 IF IN EYES: Rinse cautiously with |
| | | water for several minutes. Remove contact |
| | | lenses, if present and easy to do. Continue rinsing. |
| | P333 + P313 | If skin irritation or rash occurs: Get medical advice/ attention. |
| | P337 + P313 | If eye irritation persists: Get medical advice/ attention. |
| | P362 | Take off contaminated clothing and wash |
| | | before reuse. |
| | P370 + P378 | In case of fire: Use dry sand, dry chemical |
| | - | or alcohol-resistant foam to extinguish. |
| | Storage: | |
| | P403 + P235 | Store in a well-ventilated place. Keep cool. |
| | Disposal: | Dianage of contents/container to on |
| | P501 | Dispose of contents/ container to an |
| | | approved waste disposal plant. |
| | | |
| Hazards not Otherwise Classified. | : May cause pho | ototoxicity. |
| | | |
| presented is provided in acco | rdance with US 29 have been shown t | ealth hazards. The health hazard information CFR 1910.1200 and is based on the testing of o cause or may cause these health effects when |
| | | |
| Ingredients with unknow The following percentage of t | | of ingredient(s) with |
| unknown acute toxicity: 0 % | | |
| | | |
| ECTION 3. COMPOSITION | N/INFORMATION | N ON INGREDIENTS |
| | | |
| | | |
| | | |
| | | |
| | | |

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.

Ginger Sage Ultrasonic Diffuser Oil Version 1.0

Issue Date 11/2/23

Hazardous components

| Component | CAS-No. | Concentration [%] |
|---|------------|-------------------|
| Propanol, 1(or 2)-(2-methoxymethylethoxy)-, acetate | 88917-22-0 | 50.00 - 70.00 |
| 3,7-dimethyl-1,6-octadien-3-ol (= Linalool) | 78-70-6 | 1.00 - 10.00 |
| 3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate) | 115-95-7 | 1.00 - 10.00 |
| Oils, Lavandin | 93455-96-0 | 1.00 - 10.00 |
| 2-hexyl-3-phenyl-2-propenal (trans & cis) | 101-86-0 | 1.00 - 10.00 |
| 2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra- methylnaphtalene (main isomer) | 54464-57-2 | 1.00 - 10.00 |
| oils, lemon, psoralene free | 84929-31-7 | 1.00 - 10.00 |
| 3-methyl-5-phenylpentanol | 55066-48-3 | 1.00 - 10.00 |
| 2,6-dimethyl-7-octen-2-ol | 18479-58-8 | 1.00 - 10.00 |
| 2-phenethyl acetate | 103-45-7 | 1.00 - 10.00 |
| 1,1-dimethoxy-2,2,5-trimethyl-4-hexene | 67674-46-8 | 1.00 - 10.00 |
| (Z)-hex-3-enyl acetate | 3681-71-8 | 1.00 - 10.00 |
| 2,4-dimethylcyclohex-3-ene-1-carbaldehyde | 68039-49-6 | 1.00 - 10.00 |
| (2E)-3,7-dimethyl-2,6-octadien-1-ol (= geraniol) | 106-24-1 | 0.10 - 1.00 |
| 2-propenyl 3-cyclohexylpropanoate (= allyl 3- cyclohexyl propionate) | 2705-87-5 | 0.10 - 1.00 |
| Eucalyptus oil | 8000-48-4 | 0.10 - 1.00 |
| 2-propenyl 2(3)-methylbutoxyacetate | 67634-00-8 | 0.10 - 1.00 |
| Oils, Sage | 84082-79-1 | 0.10 - 1.00 |
| 3,7-Dimethyl-2,6-Octadienal (Cis & Trans Isomers) (= Citral) | 5392-40-5 | 0.10 - 1.00 |

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

First aid measures

Description of first aid measures

| General advice | : Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Consult physician or Poison Control Center. The National Hotline for US Poison Control Centers is 1.800.222.1222; |
|----------------|---|
| | |

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.

Ginger Sage Ultrasonic Diffuser Oil

Version 1.0

Issue Date 11/2/23

| | https://www.poison.org |
|--|---|
| If inhaled | : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. |
| In case of skin contact | Immediately seek medical attention if chemical entered ear canal. If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes. |
| In case of eye contact | Protect unharmed eye. Remove contact lenses. Immediately flush eye(s) with plenty of water. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. |
| If swallowed | Immediately consult Poison Control Center or physician. Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. |
| Causes skin irritation. May cause an allergic skin rea Causes serious eye irritation. Indication of any immediate n Treat symptomatically. | ction. nedical attention and special treatment needed |
| SECTION 5. FIREFIGHTING | MEASURES |
| Extinguishing media | |
| Suitable extinguishing media | : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
| Unsuitable extinguishing media | : High volume water jet |
| Special hazards arising from | |
| Specific hazards during firefighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| | |

SAFETY DATA SHEET In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926. Ginger Sage Ultrasonic Diffuser Oil

Version 1.0

Issue Date 11/2/23

Advice for firefighters

| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary. |
|--|---|
| Further information | Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Keep people away from and upwind of spill/leak. In the case of vapour formation use a respirator with an approved filter. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus. Material can create slippery conditions. Use personal protective equipment.

Environmental precautions

Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up

Clean contaminated floors and objects thoroughly while observing environmental regulations. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

| Advice on safe handling | Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Avoid formation of aerosol. Do not breathe vapours/dust. |
|-------------------------|--|
| | |

| Ginger Sage Ultrasonic | Issue Date 11/2 |
|--|---|
| | Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work room Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma allergies, chronic or recurrent respiratory disease should no be employed in any process in which this mixture is being used. |
| Advice on protection against fire and explosion | : Keep away from heat and sources of ignition. Do not spray on a naked flame or any incandescent material Keep away from open flames, hot surfaces and sources of ignition. |
| nditions for safe storage, inclu | iding any incompatibilities |
| Requirements for storage areas and containers | No smoking. Keep in a well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards. |
| Further information on storage conditions Advice on common storage Other data | Ambient / 10-30°C (50-85°F) Dry, well ventilated, preferably full, hermetically sealed Protect against light. No decomposition if stored and applied as directed. |

Exposure Guidelines

| Components | CAS-No. : | Type: | Value : | Basis : | Revision: |
|--------------------------------|------------|-------|----------|--------------|------------|
| oils, lemon, psoralene free | 84929-31-7 | TWA | 10 mg/m3 | NIOSH REL | 2013-10-08 |
| oils, lemon, psoralene free | 84929-31-7 | TWA | 5 mg/m3 | NIOSH REL | 2013-10-08 |
| oils, lemon, psoralene free | 84929-31-7 | PEL | 10 mg/m3 | CAL PEL | 2014-11-26 |
| oils, lemon, psoralene free | 84929-31-7 | PEL | 5 mg/m3 | CAL PEL | 2014-11-26 |
| 3,7-Dimethyl-2,6- | 5392-40-5 | TWA | 5 ppm | ACGIH | 2014-03-01 |

SAFETY DATA SHEET In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926. Ginger Sage Ultrasonic Diffuser Oil

Version 1.0

Issue Date 11/2/23

| Octadienal (Cis & Trans Isomers) (= Citral) | | | |
|---|--------------------------------|--|--|
| | DSEN: Dermal Skin: Danger o | | |

Exposure controls

Exposure assessment: Exposures are dependent on the product being handled, the potential for chemical release, and any resulting airborne concentrations or dermal contact. Since product handling and release scenarios vary, and no two workplaces are exactly alike, it is recommended that the potential for exposure be assessed prior to the prod-uct's use or introduction. Exposure assessments should be performed by an occupational hygienist, industrial hygienist, or other qualified occupational or environmental health professional. An exposure assessment should be conducted to determine the efficacy of any ventilation and the need for additional PPE. The PPE indicated below are recommendations for worst-case scenario exposures. An exposure assessment will identify more applicable measures to be implemented. EN and ANSI standards are mentioned in the following recommendations, consult equivalent local standards when required.

PPE is always the last resort to avoid exposure. In any case technical and organisational measures have to be explored and used prior to the selection of PPE. The PPE selection is for operators trained to work with chemicals according to good industrial hygiene and safety practice. Operators have to be trained on the use of PPE.

Engineering measures

Use engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use the product only with adequate ventilation.

Personal protective equipment

| Eye/face protection | : Use safety goggles and faceshield tested according to EN 166/ ANSI Z87.1 or equivalent local standard. |
|---------------------|--|
| Hand protection | Use gloves when handling substance in open systems. Inspect gloves prior to use. Train operators for proper use.If only incidental exposure is expected: (work without direct contact to substance) use gloves tested according EN 16523- 1/ASTM F739 or equivalent local standard breakthrough times at least 10 minutes, tested for chemicals indicated in chapter 3 of this SDS. Change gloves frequently. If direct skin contact is expected: use gloves tested according to EN 16523-1/ASTM F739 or equivalent local standard, tested for chemicals indicated in chapter 3 of this SDS. Permeation time must exceed contact time. |
| | |

| inger Sage Ultraso | nic Diffuser Oil Issue Date 11/2 |
|---------------------------------|---|
| Other skin protection | : Wear working clothes covering arms and legs. The type of protective equipment must be selected accordir to the concentration and amount of the hazardous substan- at the specific workplace. Use apron and sleeve covers or complete chemical suit if exposure is expected. |
| Respiratory protection | Respiratory protection should be worn when workplace exposures exceed exposure limit requirements or guideline. If there are no applicable exposure limits or guidelines, use approved respirator where there is a potential for adverse effects, including but not limited to respiratory irritation or oc or where indicated by the exposure assessment. Selection air-purifying or positive-pressure supplied-air will depend of the results of the exposure assessment which includes an evaluation of the specific operations and the potential airbo concentrations. For emergency conditions, use an approve positive-pressure self-contained breathing apparatus. In case a risk analysis proved the cartridge respirator as acceptable, use type: ABEK-P3 (EN 14387) OR Combination Multi-gas/P100 (42CFR84.193; ANSI Z88.7 or equivalent local standard) as backup to engineering controls. In absence of engineering controls, use self-contained breathing apparatus or full face supplied air respirators. Use respirators and components tested and approved unde appropriate government standards such as CEN (EU) or NIOSH 42 CFR 84(US). |
| Thermal hazards | : Wear appropriate thermal protective clothing, when necessary. |
| Hygiene measures | Remove contaminated clothing and protective equipment before entering eating areas. Do not eat, drink or smoke during work. Wash hands any time after handling the product. |
| Environmental exposure | controls |
| General advice | : Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities. |
| CTION 9. PHYSICAL A | AND CHEMICAL PROPERTIES |
| Physical state Form Color | : liquid : liquid : not determined |

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.

Ginger Sage Ultrasonic Diffuser Oil Version 1.0

Issue Date 11/2/23

| Taste Odor Odour Threshold Flash point Lower explosion limit Upper explosion limit Flammability Auto-ignition temperature Decomposition temperature pH Melting point Boiling point Vapor pressure Density Bulk density | not determined not determined Not applicable 185 °F (85 °C) Method: Calculated not determined not determined Not applicable not determined no data available no data available 0.2006 hPa at 68 °F (20 °C) Calculated (99.8 %) no data available Not applicable |
|--|---|
| Solubility/qualitative Partition coefficient: n- octanol/water Viscosity, kinematic Relative vapour density Evaporation rate | practically insoluble Not applicable no data available no data available no data available |

SECTION 10. STABILITY AND REACTIVITY

| Reactivity | |
|----------------------------|---|
| No decomposition if stored | and applied as directed. |
| Chemical stability | |
| No decomposition if stored | and applied as directed. |
| Possibility of hazardous r | reactions |
| Hazardous reactions | : No decomposition if stored and applied as directed.Vapours may form explosive mixture with air. |
| Conditions to avoid | |
| Conditions to avoid | : Extremes of temperature and direct sunlight.Heat, flames and sparks. |
| Incompatible materials | |
| Materials to avoid | : no data available |
| | |
| | |
| | |
| | |

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.

Ginger Sage Ultrasonic Diffuser Oil

Version 1.0

Issue Date 11/2/23

| Hazardous decom | position | products |
|-----------------|----------|----------|
|-----------------|----------|----------|

| Hazardous decomposition | : no data available |
|-------------------------|---------------------|
| products | |
| Thermal decomposition | : no data available |

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute oral toxicity

| ATE | : > 5,000 mg/kg | |
|--|-----------------------|--------------|
| Propanol, 1(or 2)-(2- methoxymethylethoxy)-, acetate | : LD50: > 5,000 mg/kg | Species: Rat |
| 3,7-dimethyl-1,6-octadien-3- ol (= Linalool) | : LD50: 2,790 mg/kg | Species: Rat |
| 3,7-dimethyl-1,6-octadien-3- yl acetate (= linalyl acetate) | : LD50: 13,934 mg/kg | Species: Rat |
| Oils, Lavandin | : LD50: > 5,000 mg/kg | Species: Rat |
| 2-hexyl-3-phenyl-2-propenal (trans & cis) | : LD50: 3,100 mg/kg | Species: Rat |
| 2-acetyl-1,2,3,4,5,6,7,8- octahydro-2,3,8,8-tetra- methylnaphtalene (main isomer) | : LD50: > 5,000 mg/kg | Species: Rat |
| 3-methyl-5-phenylpentanol | : LD50: 1,830 mg/kg | Species: Rat |
| 2,6-dimethyl-7-octen-2-ol | : LD50: 3,600 mg/kg | Species: Rat |
| 2-phenethyl acetate | : LD50: 3,670 mg/kg | Species: Rat |
| (Z)-hex-3-enyl acetate | : LD50: > 5,000 mg/kg | Species: Rat |
| 2,4-dimethylcyclohex-3-ene- 1-carbaldehyde | : LD50: > 3,100 mg/kg | Species: Rat |
| | | |

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.

Ginger Sage Ultrasonic Diffuser Oil

Version 1.0

| | | ., 20 |
|--|--|-------|
| | | |
| (2E)-3,7-dimethyl-2,6- octadien-1-ol (= geraniol) | : LD50: 3,600 mg/kg Species: Rat | |
| 2-propenyl 3- cyclohexylpropanoate (= allyl 3-cyclohexyl propionate) | : LD50: 1,051 mg/kg Species: Rat | |
| Eucalyptus oil | : LD50: 4,440 mg/kg Species: Rat | |
| 2-propenyl 2(3)- methylbutoxyacetate | : LD50: 730 mg/kg Species: Rat | |
| 3,7-Dimethyl-2,6-Octadienal (Cis & Trans Isomers) (= Citral) | : LD50: 4,960 mg/kg Species: Rat | |
| Acute inhalation toxicity | | |
| ATE | : 83.34 mg/l | |
| Acute dermal toxicity | : No data is available on the product itself. | |
| Acute toxicity (other routes of administration) | : No data is available on the product itself. | |
| Skin corrosion/irritation | : May cause skin irritation and/or dermatitis. | |
| Serious eye damage/eye irritation | : Vapours may cause irritation to the eyes, respiratory system and the skin. | ı |
| Respiratory or skin sensitisation | : Causes sensitisation. | |
| Mutagenicity | : No data is available on the product itself. | |
| Teratogenicity | : No data is available on the product itself. | |
| Reproductive toxicity Not classified based on availab | e information. | |
| Components: | | |
| citral: Reproductive toxicity - Assessment | Adverse reproductive effect | |
| | | |
| | | |

Issue Date 11/2/23

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926. Ginger Sage Ultrasonic Diffuser Oil

Version 1.0

| Carcinogeni | city: | | |
|---|--|---|--|
| IARC | : Remarks : No component of this product present at levels greate than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. | r | |
| OSHA | : Remarks : No component of this product present at levels greate than or equal to 0.1% is on OSHA's list of regulated carcinogens. | r | |
| NTP | : Remarks : No component of this product present at levels greate than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. | r | |
| STOT - single exposure : No data is available on the product itself. | | | |
| STOT - repea | ted exposure : No data is available on the product itself. | | |
| Aspiration ha | zard : No data is available on the product itself. | | |
| Further inform | nation : no data available | | |

Please note:Mixtures have not been tested for health hazards. The health hazard information presented is provided in accordance with US 29 CFR 1910.1200 and is based on the testing of individual components which have been shown to cause or may cause these health effects when tested at higher concentrations or at full strength.

SECTION 12. Ecological information

Ecological information is not reported.

SECTION 13. DISPOSAL CONSIDERATIONS

| Product | Dispose of in accordance with local, state and federal regulations. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. |
|------------------------|---|
| Contaminated packaging | : Do not expose containers to high temperatures such as in hot |
| | |

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.

Ginger Sage Ultrasonic Diffuser Oil Version 1.0

Issue Date 11/2/23

work processes. Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

Dispose of in accordance with local regulations.

SECTION 14. TRANSPORT INFORMATION

DOT

Not regulated

<u>IATA</u>

Not regulated

IMDG

Not regulated

SECTION 15. REGULATORY INFORMATION

Only relevant information is reported

SARA 311/312 Hazards. Flammable (gases, aerosols, liquids, or solids) Respiratory or skin sensitization Skin corrosion or irritation Serious eye damage or eye irritation

SECTION 16. OTHER INFORMATION

Further information

NFPA Classification



Health hazard: 2

Fire Hazard: 2

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.

Ginger Sage Ultrasonic Diffuser Oil Version 1.0

Issue Date 11/2/23

Full list of Emergency response numbers worldwide.

| | Country | Phone nr | | Country | Phone nr |
|-----------------------|----------------------------|-------------------|-------|-----------------------------|-----------------------------------|
| | All Europe | +44 1235 239670 | | All East/South East Asia | +65 3158 1074 |
| | France | +33 1 72 11 00 03 | | Sri Lanka | +65 3158 1195 |
| | Germany | +49 89 220 61012 | | Taiwan | +886 2 8793 3212 |
| | Spain | +34 91 114 2520 | | Japan | +81 3 4578 9341 |
| | Italy | +39 02 3604 2884 | - | Indonesia | 007 803 011 0293 |
| | Netherlands | +31 10 713 8195 | | Malaysia | +60 3 6207 4347 |
| | Turkey | +90 212 375 5231 | | Thailand | 001 800 120 666 751 |
| Europe | Norway | +47 2103 4452 | | India | +65 3158 1198 000 800 100 7479 |
| | Greece | +30 21 1198 3182 | APAC | Pakistan | +65 3158 1329 |
| | Portugal | +351 30880 4750 | | Bangladesh | +65 3158 1200 |
| | Denmark | +45 8988 2286 | | Philippines | +63 2 8231 2149 |
| | Sweden | +46 8 566 42573 | | Vietnam | +84 28 4458 2388 |
| | Poland | +48 22 307 3690 | | Korea | +65 3158 1285 |
| | Czech replublic | +420 228 882 830 | | South Korea | +82 2 3479 8401 |
| | Finland | +358 9 7479 0199 | | Australia | +61 2 8014 4558 |
| | All Middle East/Africa | +44 1235 239671 | | New Zealand | +64 9 929 1483 |
| Middle East/Africa | Bahrain and Middle East | +44 1235 239671 | | China | +86 532 8388 9090 |
| | Africa/South Africa | +27 21 300 2732 | | Mexico | +52 55 5004 8763 |
| | USA and Canada | +1 866 928 0789 | LATAM | Brazil | +55 11 3197 5891 |
| NOAM | USA and Canada | +1 215 207 0061 | | Chile | +56 2 2582 9336 |
| | USA and Canada | +1 202 464 2554 | | Colombia | +57 1 508 7337 |
| Global | Global | +44 1865 407333 | | Argentina | +54 11 5984 3690 |

SAFETY DATA SHEET In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926. Ginger Sage Ultrasonic Diffuser Oil

Version 1.0

Issue Date 11/2/23

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Information displayed in section 3 (Composition/information on ingredients) is additional information to understand the hazards of the product and ensure safe handling, storage and transportation. This information, including CAS numbers, is not meant to be used for registration, notification or any other purposes.

Version : 1.0 Issue Date : 11/2/23