In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.

Version 3.0 Revision Date 06 DEC 2016 Print Date 06 DEC 2016

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION Product information

Product : 64313, 64413 Trapp Reed Diffuser #13 Bob's Flower Shoppe

Relevant identified uses of

the substance or mixture : Perfume compound

Company

Trapp Fragrances 1025 W. 8th Steet Kansas City MO 64101

800-670-4212

www.trappfragrances.com

Emergency telephone

number

: 800-424-9300 (CHEMTEC)

SECTION 2. HAZARDS IDENTIFICATION

Classification according to HCS 2012 (29 CFR Parts 1910, 1915, and 1926)

Flammable liquids, Category 4 H227: Combustible liquid.
Acute toxicity, Category 4, Oral H302: Harmful if swallowed.

Skin irritation, Category 2

Eye irritation, Category 2A

Skin sensitiestion, Category 1

H315: Causes skin irritation.
H319: Causes serious eye irritation.
H317: May cause an allergic skin re-

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.
Reproductive toxicity, Category 2 H361: Suspected of damaging fertility or the

unborn child.

Label elements

Labelling (REGULATION 29 CFR Parts 1910, 1915, and 1926).

Hazard pictograms :

Signal word : Warning

Hazard statements : H227 Combustible liquid.

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.

Version 3.0 Revision Date 06 DEC 2016 Print Date 06 DEC 2016

	11202	Llorestul if availaved
	H302 H315	Harmful if swallowed. Causes skin irritation.
	H317	May cause an allergic skin reaction.
	H319	Causes serious eye irritation.
	H361	Suspected of damaging fertility or the
	11301	unborn child.
Precautionary statements	: Prevention:	
	P201	Obtain special instructions before use.
	P202	Do not handle until all safety precautions have been read and understood.
	P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
	P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
	P264	Wash skin thoroughly after handling.
	P270	Do not eat, drink or smoke when using this product.
	P272	Contaminated work clothing should not be allowed out of the workplace.
	P280	Wear protective gloves/ eye protection/ face protection.
	P281	Use personal protective equipment as
	Boonensor	required.
	Response: P301 + P312 +	P330 IF SWALLOWED: Call a POISON
	F301 + F312 +	CENTER/doctor if you feel unwell. Rinse
	P302 + P352	mouth. IF ON SKIN: Wash with plenty of soap and
	D205 - D254 -	water.
	P305 + P351 +	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
		lenses, if present and easy to do. Continue
	P308 + P313	rinsing. IF exposed or concerned: Get medical
	P333 + P313	advice/ attention. If skin irritation or rash occurs: Get medical
	P337 + P313	advice/ attention. If eye irritation persists: Get medical advice
	P362	attention. Take off contaminated clothing and wash
	DOTO DOTO	before reuse.
	P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
	Storage:	
	P403 + P235	Store in a well-ventilated place. Keep cool.
	P405	Store locked up.
	Disposal:	
	P501	Dispose of contents/ container to an approved waste disposal plant.

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.

Version 3.0 Revision Date 06 DEC 2016 Print Date 06 DEC 2016

Hazards not Otherwise

: None

Classified.

Please note:Mixtures have not been tested for health hazards. The health hazard information presented is provided in accordance with US 29 CFR 1910.1200 and is based on the testing of individual components which have been shown to cause or may cause these health effects when tested at higher concentrations or at full strength.

Ingredients with unknown acute toxicity.:

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: $\bf 0$ %

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Component	CAS-No.	Concentration [%]
Benzenemethanol	100-51-6	30.00 - 50.00
Propanol, 1(or 2)-(2-methoxymethylethoxy)-, acetate	88917-22-0	20.00 - 30.00
2-phenylethanol	60-12-8	1.00 - 10.00
2-(4-methylcyclohex-3-en-1-yl)propan-2-ol (terpineol)	8000-41-7	1.00 - 10.00
Benzyl acetate	140-11-4	1.00 - 10.00
2-hexyl-3-phenyl-2-propenal (trans & cis)	101-86-0	1.00 - 10.00
3,7-dimethyl-1,6-octadien-3-ol (linalool)	78-70-6	1.00 - 10.00
PENTYL 2-HYDROXYBENZOATE	2050-08-0	1.00 - 10.00
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	68039-49-6	1.00 - 10.00
phenylacetaldehyde	122-78-1	0.10 - 1.00
2,4,6-trimethyl-3-cyclohexen-1-carbaldehyde (main component)	1335-66-6	0.10 - 1.00
Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene- (Beta-pinene)	127-91-3	0.10 - 1.00
2-methoxy-4-(2-propen-1-yl)-phenol (eugenol)	97-53-0	0.10 - 1.00
3-phenyl-2-propen-1-ol (cinnamyl alcohol)	104-54-1	0.10 - 1.00
2-methyl-3-(4-isopropylphenyl)propanal	103-95-7	0.10 - 1.00
3-(4-tert-butylphenyl)-2-methylpropanal	80-54-6	0.10 - 1.00
4-(4-hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde	31906-04-4	0.10 - 1.00

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.

Version 3.0 Revision Date 06 DEC 2016 Print Date 06 DEC 2016

(R)-1-methyl-4-(1-methylethenyl)-cyclohexene	5989-27-5	0.10 - 1.00
2-phenylpropanal	93-53-8	0.10 - 1.00
2-methoxy-4-propenylphenol (= isoeugenol)	97-54-1	0.10 - 1.00
2,3-benzopyrole	120-72-9	0.10 - 1.00

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

First aid measures

Description of first aid measures

General advice : Consult physician or Poison Control Center. The National

Hotline for US Poison Control Centers is 1.800.222.1222;

www.1-800-222-1222.info/poisonHelp.asp

If inhaled : Get to fresh air immediately.

Consult Poison Control Center or physician if any symptoms

develop.

In case of skin contact : Rinse immediately with plenty of water for at least 15 minutes.

If skin irritation occurs, seek medical advice/attention.

Remove contaminated clothing and shoes.

Immediately seek medical attention if chemical entered ear

canal.

When symptoms persist or in all cases of doubt seek medical

advice.

In case of eye contact : Remove contact lenses.

Immediately flush eyes for at least 15 minutes. Get medical

attention.

If swallowed : Do NOT induce vomiting.

Immediately consult Poison Control Center or physician.

Most important symptoms and effects, both acute and delayed

Harmful if swallowed.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eve irritation.

Suspected of damaging fertility or the unborn child.

Indication of any immediate medical attention and special treatment needed

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.

Version 3.0 Revision Date 06 DEC 2016 Print Date 06 DEC 2016

no data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Exposure to decomposition products may be a hazard to

health.

Do not use a solid water stream as it may scatter and spread

fire.

Cool closed containers exposed to fire with water spray.

Advice for firefighters

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition.

Evacuate personnel to safe areas.

Keep people away from and upwind of spill/leak.

In the case of vapour formation use a respirator with an approved filter.

Use personal protective equipment as required.

For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Material can create slippery conditions.

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.

Version 3.0 Revision Date 06 DEC 2016 Print Date 06 DEC 2016

Environmental precautions

Retain and dispose of contaminated wash water.

The product should not be allowed to enter drains, water courses or the soil.

Dispose of in accordance with local regulations.

Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Keep in suitable, closed containers for disposal.

Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

Open drum carefully as content may be under pressure. Keep away from heat/sparks/open flames/hot surfaces. No

smoking.

When using do not eat, drink or smoke.

Advice on protection against

fire and explosion

: Keep away from heat and sources of ignition.

Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Further information on

: Ambient / 10-30°C (50-85°F)

storage conditions

Dry, well ventilated, preferably full, hermetically sealed

Advice on common storage : Protect against light.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Components	CAS-No.:	Type:	Value :	Basis:	Revision:

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.

Version 3.0 Revision Date 06 DEC 2016 Print Date 06 DEC 2016

Benzenemethanol	100-51-6	TWA	10 ppm	US WEEL	2008-01-01	
Benzyl acetate	140-11-4	TWA	10 ppm	ACGIH	2007-01-01	
	URT irr: Upper Respiratory Tract irritation					

Exposure Assessment: Exposures are dependent on the product being handled, the potential for chemical release, and any resulting airborne concentrations or dermal contact. Since product handling and release scenarios vary, and no two workplaces are exactly alike, it is recommended that the potential for exposure be assessed prior to the product's use or introduction. Exposure assessments should be performed by an occupational hygienist, industrial hygienist, or other qualified occupational or environmental health professional. An exposure assessment should be conducted to determine the efficacy of any ventilation and the need for additional respiratory protection.

Engineering measures

Ventilation: Use engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposures limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations.

Personal protective equipment

Protective measures : Choose PPE based on a hazard assessment, taking into

account to the concentration and amount of dangerous substances, and to the specific work-place conditions.

Eye protection : Ensure that eyewash stations and safety showers are close to

the workstation location.

Wear chemical splash goggles (non-vented) with faceshield.

Hand protection : Wear chemical resistant gloves suitable for this material as

determined by a hazard assessment.

Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection : Wear protective clothing suitable for this material as

determined by a hazard assessment.

Respiratory protection : Respiratory protection should be worn when workplace

exposures exceed exposure limit requirements or guidelines. If there are no applicable exposure limits or guidelines, use an approved respirator where there is a potential for adverse effects, including but not limited to respiratory irritation or odor, where indicated or required by the exposure assessment. Selection of air-purifying or positive-pressure supplied air will depend on the results of the exposure assessment which includes an evaluation of the specific operations and the actual or potential airborne concentrations. The type of car-

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.

Version 3.0 Revision Date 06 DEC 2016 Print Date 06 DEC 2016

> tridge or filter to be used must be selected and approved for the chemical, class, or classes of chemical(s) likely to be encountered in the workplace. For emergency conditions, use an approved positive-pressure self-contained breathing

apparatus.

: Handle in accordance with good industrial hygiene and safety Hygiene measures

practice.

Remove contaminated clothing and protective equipment

before entering eating areas.

Wash hands before breaks and immediately after handling the

product.

See Section 16 for further information.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid Form : liquid

Color : Pale yellow to yellow Taste : not determined Odor : Floral, Green Odour Threshold : Not applicable

Flash point : 199 F (93 °C) Method: Grabner miniflash closed cup
Lower explosion limit : not determined
Upper explosion limit : not determined
Flammability (solid, gas) : Not applicable
Auto-ignition temperature : not determined
Decomposition temperature : no data available : not determined : not determined Melting point : not determined Boiling point : 0.1306 hPa at Vapor pressure

68 °F (20 °C) Calculated (99.9 %)

Density : 1,007.96 kg/m3 at

68 °F (20 °C)

Bulk density : Not applicable

Solubility/qualitative
Partition coefficient: n-: practically insoluble : Not applicable

octanol/water

Viscosity, kinematic Relative vapour density : no data available : no data available Evaporation rate : no data available

SECTION 10. STABILITY AND REACTIVITY

Trapp Diffuser # 13 Bob's Flower Shoppe

9/15

SAFETY DATA SHEET

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.

Version 3.0 Revision Date 06 DEC 2016 Print Date 06 DEC 2016

Conditions to avoid : Heat, flames and sparks.

Extremes of temperature and direct sunlight.

Materials to avoid : no data available

Hazardous decomposition

products

: no data available

Chemical stability : The product is chemically stable.

Reactivity : none

Hazardous reactions : no data available

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute oral toxicity

ATE : 1,052 mg/kg

Benzenemethanol : LD50: 1,230 mg/kg Species: Rat

Propanol, 1(or 2)-(2-

methoxymethylethoxy)-,

acetate

2-phenylethanol : LD50: 1,790 mg/kg Species: Rat

2-(4-methylcyclohex-3-en-1-

yl)propan-2-ol (terpineol)

: LD50: 4,000 mg/kg

: LD50: > 5,000 mg/kg

Species: Rat

Species: Rat

: LD50: 2,490 mg/kg Benzyl acetate

Species: Rat

2-hexyl-3-phenyl-2-propenal

(trans & cis)

: LD50: 3,100 mg/kg

Species: Rat

3,7-dimethyl-1,6-octadien-3-

ol (linalool)

: LD50: 2,790 mg/kg

Species: Rat

Species: Guinea pig

SAFETY DATA SHEET

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.

Version 3.0 Revision Date 06 DEC 2016 Print Date 06 DEC 2016

PENTYL 2-: LD50: 2,000 mg/kg Species: Rat

HYDROXYBENZOATE

Species: Rat phenylacetaldehyde : LD50: 1,550 mg/kg

2,4,6-trimethyl-3-cyclohexen-: LD50: 4,150 mg/kg Species: Rat

1-carbaldehyde (main

component)

2-methoxy-4-(2-propen-1-yl)- : LD50: 2,130 mg/kg

phenol (eugenol)

3-phenyl-2-propen-1-ol : LD50: 2,675 mg/kg Species: Mouse

(cinnamyl alcohol)

3-(4-tert-butylphenyl)-2-: LD50: 1,390 mg/kg Species: Rat

methylpropanal

4-(4-hvdroxv-4-: LD50: > 5,000 mg/kg

Species: Rat

methylpentyl)-3-cyclohexene-

1-carboxaldehyde

(R)-1-methyl-4-(1-: LD50: 5,600 mg/kg Species: Mouse

methylethenyl)-cyclohexene

2-phenylpropanal Species: Rat : LD50: 2,800 mg/kg

2-methoxy-4-propenylphenol : LD50: 1,560 mg/kg Species: Rat

(= isoeugenol)

2,3-benzopyrole : LD50: 1,000 mg/kg Species: Rat

Acute inhalation toxicity

ATE : 28.67 mg/l

Acute dermal toxicity

ATE > 5,000 mg/kg

2,4-dimethylcyclohex-3-ene-: LD50: 5,000 mg/kg Species: Rabbit

1-carbaldehyde

4-(4-hydroxy-4-: LD50: > 5,000 mg/kgSpecies: Rabbit

methylpentyl)-3-cyclohexene-

1-carboxaldehyde

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.

Version 3.0 Revision Date 06 DEC 2016 Print Date 06 DEC 2016

(R)-1-methyl-4-(1- : LD50: > 5,000 mg/kg

methylethenyl)-cyclohexene

2-phenylpropanal : LD50: > 5,000 mg/kg Species: Rabbit

2-methoxy-4-propenylphenol

(= isoeugenol)

: LD50: 1,770 mg/kg

Species: Rabbit

Species: Rabbit

2,3-benzopyrole : LD50: 790 mg/kg Species: Rabbit

Acute toxicity (other routes

of administration)

: No data is available on the product itself.

Skin corrosion/irritation : May cause skin irritation and/or dermatitis.

May cause skin irritation in susceptible persons.

Serious eye damage/eye

irritation

: Vapours may cause irritation to the eyes, respiratory system

and the skin.

Respiratory or skin

sensitisation

: Causes sensitisation.

Mutagenicity : No data is available on the product itself.

Reproductive toxicity: No data is available on the product itself.

Teratogenicity : No data is available on the product itself.

Carcinogenicity:

IARC : Remarks : No component of this product present at levels greater

than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA : Remarks : No component of this product present at levels greater

than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by OSHA.

NTP : Remarks : No component of this product present at levels greater

than or equal to 0.1% is identified as a known or

anticipated carcinogen by NTP.

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.

Version 3.0 Revision Date 06 DEC 2016 Print Date 06 DEC 2016

STOT - single exposure : No data is available on the product itself.

STOT - repeated exposure : No data is available on the product itself.

Aspiration hazard : No data is available on the product itself.

Further information : no data available

Please note:Mixtures have not been tested for health hazards. The health hazard information presented is provided in accordance with US 29 CFR 1910.1200 and is based on the testing of individual components which have been shown to cause or may cause these health effects when tested at higher concentrations or at full strength.

SECTION 12. Ecological information

Ecological information is not reported.

SECTION 13. DISPOSAL CONSIDERATIONS

The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

49CFR

Not applicable / UN number : 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

: (2-hexyl-3-phenyl-2-propenal, pentyl salicylate)

Class : 9
Packing group : III
Labels : 9
Emergency Response : 171

Guidebook Number

Marine pollutant : yes

2-hexyl-3-phenyl-2-propenal, pentyl salicylate

49CFR: no dangerous good in non-bulk packaging

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.

Version 3.0 Revision Date 06 DEC 2016 Print Date 06 DEC 2016

49CFR:Non-Bulk Packaging (<119 Gallons for liquids and <882 Lbs. Solids).

IATA

UN number : 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(pentyl salicylate, 2-hexyl-3-phenyl-2-propenal)

Class : 9
Packing group : III
Labels : 9
Packing instruction (cargo : 964

aircraft)

Packing instruction : 964

(passenger aircraft)

Packing instruction : Y964

(passenger aircraft)

IMDG

UN number : 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(pentyl salicylate, 2-hexyl-3-phenyl-2-propenal)

Class : 9
Packing group : III
Labels : 9
EmS Number 1 : F-A
EmS Number 2 : S-F
Marine pollutant : yes

pentyl salicylate, 2-hexyl-3-phenyl-2-propenal

IMDG Code Segregation : None

Group

Nono

SECTION 15. REGULATORY INFORMATION

Only relevant information is reported

SARA 311/312 Hazards. : Fire Hazard Acute Health Hazard Chronic Health Hazard


SECTION 16. OTHER INFORMATION

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.

Version 3.0 Revision Date 06 DEC 2016 Print Date 06 DEC 2016

NFPA : Health hazard: 2 Classification Fire Hazard: 2

Reactivity Hazard: 0



Full list of Emergency response numbers worldwide.

	Country	Phone nr		Country	Phone nr
	All Europe	+44 1235 239670		All East/South East Asia	+65 3158 1074
	France	+33 1 72 11 00 03		Sri Lanka	+65 3158 1195
	Germany	+49 69 222 25285		Taiwan	+886 2 8793 3212
	Spain	+34 91 114 2520		Japan	+81 3 4578 9341
	Italy	+39 02 3604 2884		Indonesia	007 803 011 0293
	Netherlands	+31 10 713 8195	=	Malaysia	+60 3 6207 4347
	Turkey	+90 212 375 5231		Thailand	001 800 120 666 751
Europe	Norway	+47 2103 4452		India	+65 3158 1198 000 800 100 7479
	Greece	+30 21 1198 3182	APAC	Pakistan	+65 3158 1329
	Portugal	+351 30880 4750	=	Bangladesh	+65 3158 1200
	Denmark	+45 8988 2286		Philippines	+65 3158 1203
	Sweden	+46 8 566 42573	=	Vietnam	+84 8 4458 2388
	Poland	+48 22 307 3690		Korea	+65 3158 1285
	Czech replublic	+420 228 882 830		South Korea	+82 2 3479 8401
	Finland	+358 9 7479 0199		Australia	+61 2 8014 4558
Middle East/Africa	All Middle East/Africa	+44 1235 239671		New Zealand	+64 9 929 1483
	Bahrain and Middle East	+973 1619 8321		China	+86 21 6267 9090
	Africa/South Africa	+27 21 300 2732		Mexico	+52 55 5004 8763
	USA and Canada	+1 866 928 0789	LATAM	Brazil	+55 11 3197 5891
NOAM	USA and Canada	+1 215 207 0061		Chile	+56 2 2582 9336
	USA and Canada	+1 202 464 2554	Global	Global	+44 1865 407333

Print Date 06 DEC 2016

SAFETY DATA SHEET

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.

Version 3.0 Revision Date 06 DEC 2016

We recommend that each recipient or user of this SDS carefully study this document and consult with the appropriate expert (i.e., industrial hygienist, toxicologist, or occupational physician) to understand and appreciate the technical data, any associated hazards, and appropriate control measures needed to ensure the safe handling and use of this product. The above information relates only to this product and not to its use in combination with any other material or in any particular process. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers and technical groups and is considered to be accurate to the best of our knowledge as of the date of this document. Since the conditions of handling and use are not within the knowledge of Trapp, it is the responsibility of the recipient to conduct an appropriate hazard assessment and to review all information about this product and determine its safety and suitability in their own processes and operations.

Appropriate warnings and safe handling instructions should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use.

Version: 30

Revision Date: 06 DEC 2016 Print Date: 06 DEC 2016