1 PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

64367, 64467 Trapp Reed Diffuser #67 Fine Linen

1.2 Relevant identified uses of the substance or mixture and uses advised against

Home Fragrance Reed Diffuser.

1.3 Details of the supplier of the safety data sheet

Supplier : Trapp Fragrances

Address :1025 W. 8th Street Kansas City MO 64101

Telephone : 1800 670 4212

e-mail : www.trappfragrances.com

1.4 Emergency telephone number

Emergency telephone : CHEMTREC 1-800-424-9300

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Physical hazards

Flam. Liq. 4: Combustible liquid.

Health Dangers

Skin irrit. 2: Causes skin irritation.

Skin Sens. 1: May cause an allergic skin reaction.

Eye Irrit. 2A: Causes serious eye irritation.

Repr. 2: Suspected of damaging fertility or the unborn child.

Environmental hazards

Aquatic Chronic 2: Toxic to aquatic life with long lasting effects.

% Unknown Toxicity

Acute Orale: 0.97 % Acute Dermal: 0.97 % Acute Inhalation: 0.97 %

Issue date 21 JUN 2016

Version 1 Model 1 Format date:

2.2 Label elements

Pictogram



Signal Word

WARNING

Hazard Statements

H227: Combustible liquid. H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H361: Suspected of damaging fertility or the unborn child.

H411: Toxic to aquatic life with long lasting effects.

Precautionary Statements

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P281: Use personal protective equipment as required.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P201: Obtain special instructions before use.

 $P261: A void\ breathing\ dust/fume/gas/mist/vapors/spray.$

P273: Avoid release to the environment.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P370+P378: In case of fire: Use water for extinction.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: f eye irritation persists: Get medical advice/attention.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P391: Collect spillage.

P321: Specific treatment (see this label).

P362: Take off contaminated clothing and wash before reuse.

P403+P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

 $P2'T2: Contaminated work clothing should not be allowed out of the workplace \,. \\$

Issue date 21 JUN 2016

Version 1 Model 1

2.3 Other hazards

None

3 COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

CAS-No.: Not applicable

32 Mixtures

Hazardous Substances

Component	CAS	Concentration limit	CLASSIFICATION
LINALOOL	78-70-6	>=1%-5%	Flam.Liq.4, H227 Skin int. 2, H315 Eye Irrit. 2A,H319
BENZYL BENZOATE	120-51-4	>= 1% - 5 %	Acute Tox.4 Oral, H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
2-tert-BUTYLCYCLOHEXYL ACETATE	88-41-5	>= 1 % - 5 %	Flam. Liq.4, H227 Aquatic Chronic 2, H411
BUTYLPHENYL METHYLPROPIONAL	80-54-6	>= 1 % - 5 %	Flam. Liq. 4, H227 Acute Tox. 4 Oral, H302 Skin irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Chronic 2, H411
BENZYL SALICYLATE	118-58-1	>-1%-5%	Skin Sens. 1B, H317 Eye Irrit. 2B, H320 Aquatic Chronic 3, H412
GAMMA-UNDECALACTONE	104-67-6	>= 1% - 5 %	Aquatic Chronic 3, H412
ННСВ	1222-05-5	>=1%-5%	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
PHENETHYL ALCOHOL	60-12-8	>= 1% - 5 %	Acute Tox. 4 Oral, H302 Eye Irrit. 2A,H319
HEXYL CINNAMAL	101-86-0	>= 1% - 5 %	Skin Sens. 1B, H317 Aquatic Acute 1,H400 Aquatic Chronic 2, H411
2,6-dlmethyloct-7-en-2-ol	18479-58-8	>= 1 % - 5 %	Flam. Liq.4, H227 Skin irrit. 2, H315 Eye Irrit. 2A, H319
CITRONELLOL	106-22-9	>= 1 % - 5 %	Skin irrit. 2, H315 SkinSens. 1,H317 Eve Irit. 2A, H319
OCTAHYDRO TETRAMETHYL ACETONAPHTONE	54464-57-2	>= 0.1 % - 1%	Skin irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 1,H410
LIMONENES	138-86-3	>=0.1%-1%	Fam.Liq.3, H226 Asp.Tox.1, H304

Issue date 21 JUN 2016

Version1 Model 1 Format date:01 JUNE 2015

			Skin irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1. H400 Aquatic Chronic 1, H410
BUTYLATED HYDROXYTOLUENE	128-37-0	>= 0.1% - 1%	Aquatic Acute 1, H400 Aquatic Chronic 1,H410

Ingredients having an occupational exposure limit value: See section 8.

4 FIRST AID MEASURES

4.1 <u>Description of first aid measures</u>

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

4.2 Most important symptoms and effects. both acute and delayed

Get medical attention if symptoms persist.

4.3 <u>hdication of any immediate medical attention and special treatment needed</u>

Never give liquid to an unconscious person.

5 FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media

Water, C02 or Foam

Extinguishing media to avoid

Avoid water in straight hose stream; will scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

Avoid breathing dust or vapor.

Cool containers exposed to flames with water until well after the fire is out.

5.3 Advice for firefighters

No specific precautions.

6 ACCIDENTAL RELEASE MEASURES

Issue date 21 JUN 2016

Version 1 Model 1

6.1 Personal precautions. protective eguipment and emergency procedures

Contain spillages with sand, earth or any suitable adsorbent material.

6.2 Environmental precautions

There must be no release into the environment.

6.3 Methods and materials for containment and cleanup procedure

Collect with non-combustible absorbent material. Flush with water. Dike for large spills.

6.4 Reference to other sections

See Section 8 of the MSDS for Personal Protective Equipment. For waste disposal, see section 13 of the MSDS.

7 HANDLING AND STORAGE

7.1 Precautions for safe handling

7.1.1 Protective measures

Keep strict control of dust accumulation to a minimum. Maintain adequate Icoal and general ventilation where product is handled. Avoid any sources of ignition.

7.1.2 Advice on general occupational hygiene

Good personal washing routines should be followed

7.2 Condition for safe storage. including any incompatibilities

Keep only in the original container in a cool, well-ventilated place.

7.3 Specific end use(s)

No specific precautions.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

National occupational exposure limits (OELs) values: None

8.2 Exposure controls

8.2.1 Environmental exposure controls

Discharge, treatment, or disposal may be subject to national, state, or local laws.

8.2.2 Personal protective equipment (ppe)

Respiratory protection: In case of inadequate ventilation use suitable respirator.

Eye protection: Wear goggles/face shield.

Hand protection: Gloves.

Skin protection: Wear suitable protective clothing. Provide adequate ventilation if fumes or vapors are generated.

9 PHYSICALAND CHEMICAL PROPERTIES

9.1 <u>Information on basic physical and chemical properties</u>

- Physical State: LIQUID
- Color:VERY LIGHT YELLOW
- Final Color: DARK YELLOW
- Odor: Characteristic
- pH: No data available.
- Melting point (°C): No data available.
- Boiling point (°C): No data available.
- Flash point (°F): 189.9 °F (87.7 °C)
- Evaporation Rate: No data available.
- Flammability (solid, gas): No data available.
- Upper/lower limit on flammability or explosive limits: No data available.
- Vapor pressure: No data available.
- Vapor Density: No data available.
- Specific Gravity: 0.9693 / 0.9793
- Solubility: No data available.
- Log Pow (n-Octanol/Water Partition Coefficient): No data available.
- Auto Ignition Temp.(°C): No data available.
- Decomposition temperature (°C): No data available.
- Viscosity: No data available.
- Explosive properties: No data available.
- Oxidizing properties: No data available.
- Vapor pressure at 20°C: No data available.
- Vapor pressure at 50°C: No data available.

Issue date 21 JUN 2016

Version 1 Model 1

9.2 Other information

No other information noted.

10 STABILITY AND REACTIVITY

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Store in a cool, dry place with adequate ventilation. Keep away from incompatible materials, open flames, and high temperature s.

10.5 hcompatible materials

No data available.

10.6 <u>Hazardous decomposition products</u>

No data available.

11 TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Product Information

 $LOSO \ Oermal(mg/kg) \ > SOOO \ (Calculated) \\ LOSO \ Oral(mg/kg) \ > SOOO \ (Calculated)$

Issue date 21 JUN 2016

Version 1 Model 1

CL50 Inhalation -vapor(mg/I) > 100 (Calculated)

11.2 Other toxicological data information

This product has not been subject to toxicological testing as an entity. According to available data on the constituents, the health classification criteria are met.

11.3 Information about carcinogens

NTP: None

IARC: None

OSHA: None

12 ECOLOGICAL INFORMATION

12.1 Toxicity

Product Information

Toxicity Fish No data available.
Toxicity Alga No data available.
Toxicity Daphnia No data available.

12.2 Persistence and degradability

Biodegradability
No data available.
Hydrosolubility
No data available.

Comments

12.3 Other eco-toxicological information

This product has not been subject to eco-toxicological testing as an entity. According to available data on the constituents, the environment classification criteria are met.

Log Pow (n-Octanol/Water Partition Coefficient): No data available.Bio Concentration Factor: No data available.Bioaccumulative potential: No data available.Mobility in soil: No data available.Other adverse effects: No data available.

Issue date 21 JUN 2016

Version 1 Model 1

13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Do not release into the environment. Confirm disposal procedures with environmental engineer and local regulations.

13.2 Other information

Always keep original label(s) on empty recipients (drums/pails).

14 TRANSPORT INFORMATION

UN number :3082

Transportation name United Nations : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(BENZYL BENZOATE, HHCB)

Danger class(es) for transport : Class 9 : MISCELLANEOUS DANGEROUS SUBSTANCES AND

ARTICLES

Packaging group : III Environmental dangers : Yes.

IATA

UN number : 3082

Transportation name United Nations : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(BENZYLBENZOATE, HHCB)

Danger class(es) for transport : Class 9 : MISCELLANEOUS DANGEROUS SUBSTANCES AND

ARTICLES

Packaging group : III
Environmental dangers : Yes.

IMDG

UN number : 3082

Transportation name United Nations : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(BENZYLBENZOATE, HHCB)

Danger class(es) for transport : Class 9 : MISCELLANEOUS DANGEROUS SUBSTANCES AND

ARTICLES

Packaging group : III
Environmental dangers :Yes.
Marine polutants : P - pollutant

15 REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture: No recommendation given

16 OTHER INFORMATION

bsue date 21 JUN 2016

Version 1 Model 1

16.1 Entire text of the H and P phrases mentioned in chapters 2 and 3:

H226 Flammable liquid and vapor.

H227 Combustible liquid.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H320 Causes eye irritation.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

P210 Keep away from heaUsparks/open flames/hot surfaces. - No smoking.

P281 Use personal protective equipment as required.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P201 Obtain special instructions before use.

P261 Avoid breathing dusUfume/gas/misUvapors/spray.

P273 Avoid release to the environment.

P308+P313 IF exposed or concerned: Get medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P370+P378 In case of fire: Use water for extinction.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P391 Collect spillage.

P321 Specific treatment (see this label).

P362 Take off contaminated clothing and wash before reuse.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container to an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product characteristics at

time of disposal.

P272 Contaminated work clothing should not be allowed out of the workplace.

16.2 Abbreviation and acronyms

GAS: Chemical Abstracts Service

C02: Carbon dioxyde LD50: Lethal dose 50

NTP: National Toxicology program

Issuedate 21 JUN 2016

Version 1 Model 1

ARC: International Agency for Research on Cancer OSHA: Occupational Safety and Health Administration

UN: United Nations

MDG: International Maritime Dangerous Goods ATA: International Air Transport Association

16.3 Key literature references and sources for data

We cannot be held responsible in the event of improper usage of this product. It is up to the user to analyse the information given and to determine appropriate handling conditions for the safe use of this product.

It is the user's liability to conform to all local, national, and international regulations that apply to its activities.

This automatically generated safety data sheet is valid without signature.

The information provided is correct to the best of our knowledge, information and belief at the date of its publication. The information is provided as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.